# **BENZENE FREE PLASTICIZER**Bisley International LLC

Chemwatch: **4144-85** Version No: **5.1.2.1** 

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 1

Issue Date: **27/06/2017**Print Date: **20/04/2021**S.GHS.USA.EN

### **SECTION 1 Identification**

# **Product Identifier**

Product name	BENZENE FREE PLASTICIZER
Chemical Name	diisononyl 1,2-cyclohexanedicarboxylate
Synonyms	C26-H48-O; 1,2-cyclohexanedicarboxylic acid, diisononyl ester; Heaxamoll DINCH; plasticiser/ plasticizer; BASF Hexamoll DINCH
Chemical formula	C26H48O4
Other means of identification	Not Available
CAS number	166412-78-8

### Recommended use of the chemical and restrictions on use

tive ~]

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	Bisley International LLC
Address	1790 Hughes Landing Boulevard Suite 400 The Woodlands TX 77380 United States
Telephone	+1 (844) 424 7539
Fax	Not Available
Website	www.bisley.biz
Email	compliance@bisley.biz

### **Emergency phone number**

Association / Organisation	Bisley International LLC	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	+1 855 237 5573	+61 2 9186 1132
Other emergency telephone numbers	+61 2 9186 1132	+1 855-237-5573

Once connected and if the message is not in your prefered language then please dial 01

Una vez conectado y si el mensaje no está en su idioma preferido, por favor marque 02

# SECTION 2 Hazard(s) identification

# Classification of the substance or mixture

Not considered a Hazardous Substance by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). Not classified as Dangerous Goods for transport purposes.

# NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification	Not Applicable

### Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

# Hazard statement(s)

Not Applicable

# Hazard(s) not otherwise classified

Not Applicable

# Page 2 of 8

### **BENZENE FREE PLASTICIZER**

Issue Date: 27/06/2017 Print Date: 20/04/2021

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

# **SECTION 3 Composition / information on ingredients**

# Substances

CAS No	%[weight]	Name
166412-78-8	>98	diisononyl 1.2-cyclohexanedicarboxylate

### **Mixtures**

See section above for composition of Substances

### **SECTION 4 First-aid measures**

### Description of first aid measures

Eye Contact	If this product comes in contact with eyes:  • Wash out immediately with water.  • If irritation continues, seek medical attention.  • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs:  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

# Most important symptoms and effects, both acute and delayed

See Section 11

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 Fire-fighting measures**

# Extinguishing media

- Foam.
- ► Dry chemical powder.
- ► BCF (where regulations permit).
- Carbon dioxide.

### Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
Special protective equipment a	and precautions for fire-fighters
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear full body protective clothing with breathing apparatus.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> <li>Use water delivered as a fine spray to control fire and cool adjacent area.</li> </ul>
	Combustible. Slight fire hazard when exposed to heat or flame.

# Fire/Explosion Hazard

Heating may cause expansion or decomposition leading to violent rupture of containers.

▶ On combustion, may emit toxic fumes of carbon monoxide (CO).

Combustion products include:

carbon dioxide (CO2)

other pyrolysis products typical of burning organic material.

# **SECTION 6 Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

See section 8

# **Environmental precautions**

See section 12

Chemwatch: 4144-85 Version No: 5.1.2.1

### Page 3 of 8

### BENZENE FREE PLASTICIZER

Issue Date: 27/06/2017 Print Date: 20/04/2021

### Methods and material for containment and cleaning up

# **Minor Spills**

- Remove all ignition sources.
- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- ► Control personal contact with the substance, by using protective equipment.

▶ Clear area of personnel and move upwind. **Major Spills** 

Moderate hazard

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

### Precautions for safe handling

### Safe handling

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.

### Other information

- Store in original containers.
- Keep containers securely sealed.
- No smoking, naked lights or ignition sources.
- ▶ Store in a cool, dry, well-ventilated area.

### Conditions for safe storage, including any incompatibilities

### Suitable container

- Packaging as recommended by manufacturer.
- ► Check all containers are clearly labelled and free from leaks.

# Storage incompatibility

Avoid contamination of water, foodstuffs, feed or seed

► Avoid reaction with oxidising agents















- Must not be stored together
- May be stored together with specific preventions
- May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

# **SECTION 8 Exposure controls / personal protection**

### Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

# Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
BENZENE FREE PLASTICIZER	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
diisononyl 1,2-cyclohexanedicarboxylate	Not Available		Not Available	

# **Exposure controls**

### Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment

### Personal protection









# Eye and face protection

- Safety glasses with side shields
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Version No: **5.1.2.1** 

### **BENZENE FREE PLASTICIZER**

Issue Date: **27/06/2017**Print Date: **20/04/2021** 

Skin protection	See Hand protection below
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves.  The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.  Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities.  OTHERWISE:  Overalls.  Barrier cream.  Eyewash unit.

# Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- ▶ Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

# **SECTION 9 Physical and chemical properties**

# Information on basic physical and chemical properties

Appearance	Colourless, clear, anhydrous liquid with slight odour; does not mix well with water (<0.02 mg/l, 25 C). Soluble in many organic solvents. Antoine Constants for P=A+B/(C+T) (P in bar, T in C): A=11.6057; B=-6601.25; C=155.61 Solution temperature at clear point 151 C. Refractive Index: 1.46-1.466 [~Clear Colourless]

Physical state	Liquid	Relative density (Water= 1)	0.944-0.954 (20 C)
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	330 (DIN 51794)
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	-54 (pour point)	Viscosity (cSt)	44-60 (20 C)
Initial boiling point and boiling range (°C)	240-250 (7 mbar)	Molecular weight (g/mol)	424.7
Flash point (°C)	224 (DIN/ISO 2592)	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Negligible
Vapour pressure (kPa)	Negligible	Gas group	Not Available
Solubility in water	Partly miscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

# Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.

Chemwatch: 4144-85 Page 5 of 8 Version No: 5.1.2.1

BENZENE FREE PLASTICIZER

Issue Date: 27/06/2017 Print Date: 20/04/2021

Skin Contact	The liquid may be able to be mixed with fats or oils and may degrease the skin, producing a skin reaction described as non-allergic contact dermatitis. The material is unlikely to produce an irritant dermatitis as described in EC Directives.	
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).	
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.	
	TOXICITY	IRRITATION
diisononyl	TOXICITY  dermal (rat) LD50: >2000 mg/kg <sup>[2]</sup>	IRRITATION  Eye: Not irritating *
diisononyl 1,2-cyclohexanedicarboxylate		

# DIISONONYL 1,2-CYCLOHEXANEDICARBOXYLATE

Primary irritations of the mucous membrane rabbit: non-irritant (OECD Guideline 405) Sensitization Skin sensitizing effects were not observed in animal studies. Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406) Genetic toxicity No mutagenic effect was found in various tests with bacteria, microorganims and mammalian cell culture. The substance was not mutagenic in studies with mammals. Carcinogenicity In long-term animal studies in which the substance was given in high concentrations by feed, a carcinogenic effect was not observed. Reproductive toxicity The results of animal studies gave no indication of a fertility impairment. Developmental toxicity No indications of a developmental toxic / teratogenic effect were seen in animal studies \* BASF SDS

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	X	Aspiration Hazard	X

Legend:

🗶 – Data either not available or does not fill the criteria for classification

Data available to make classification

# **SECTION 12 Ecological information**

diisononyl 1,2-cyclohexanedicarboxylate	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48	Crustacea	>100mg/l	2
	LC50	96	Fish	>100mg/l	2
	EC50	72	Algae or other aquatic plants	>100mg/l	2
	NOEC(ECx)	504	Crustacea	>=0.021mg/l	2
Legend:	V3.12 (QSAR) -	. IUCLID Toxicity Data 2. Europe ECHA Register Aquatic Toxicity Data (Estimated) 4. US EPA, Ecc Ipan) - Bioconcentration Data 7. METI (Japan) - E	otox database - Aquatic Toxicity Data 5. E0	,	

Partitioning coefficient n-octanol/water (log Pow): 10 (25 deg C) (Directive 92/69/EEC, A.8) adsorption/water - soil: log KOC: 6.59 Adsorption to solid soil phase is expected. (OECD draft - Adsorp. Coeff.(HPLC method)) Ecotoxicity There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Ecotoxicity: Fish LC50 (96 h): , Brachydanio rerio gt; 100 mg/l (OECD 203; ISO 7346; 84/449/EEC, C.1, static) Tested above maximum solubility. The details of the toxic effect relate to the nominal concentration. Daphnia magna EC50 (48 h) gt; 100 mg/l (OECD Guideline 202, part 1, static) The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An eluate has been tested. Algae EC50 (72 h) gt; Scenedesmus subspicatus gt;100 mg/l (growth rate), (OECD Guideline 201, static) The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An eluate has been tested. Activated sludge EC20 (180 min) gt;1000 mg/l, domestic, aerobic (DIN EN ISO 8192-OECD 209-88/302 /EEC,P. C, aquatic) Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d), gt;= 0.021 mg/l, Daphnia magna (OECD Guideline 211, semistatic) The product has low solubility in the test medium. An aqueous solution prepared with solubilisers has been tested. Limit concentration test only (LIMIT test). Soil living organisms: LC50 (14 d) gt; 1,000 mg/kg, Eisenia foetida (OECD Guideline 207, artificial soil) The details of the toxic effect relate to the nominal concentration. Terrestrial plants: No observed effect concentration (20 d) gt; 1.000 mg/kg, Avena sativa (OECD Guideline 208) No observed effect concentration (21 d) gt; 1.000 mg/kg, Brassica napus (OECD Guideline 208) No observed effect concentration (21 d) gt; 1.000 mg/kg, Vicia sativa (OECD Guideline 208) Persistence and degradability Assessment biodegradation and elimination (H2O): Biodegradable. Elimination information: 90 - 100 % CO2 formation relative to the theoretical value (60 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated sludge, domestic, non-adapted) 70 - 80 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated sludge, domestic, adapted) Bioconcentration factor: 189 (30 d), Brachydanio rerio (OECD Guideline 305 E) Accumulation in organisms is not to be expected. Biodegradation: Test method: OECD 301B; ISO 9439; 92/69/EEC, C.4-C (aerobic), activated sludge, domestic, adapted Method of analysis: CO2 formation relative to the theoretical value Degree of elimination: 90 - 100 % Evaluation: Readily biodegradable (according to OECD criteria

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

# **Bioaccumulative potential**

Ingredient	Bioaccumulation
	No Data available for all ingredients

# Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

### Page 6 of 8

Issue Date: 27/06/2017 Print Date: 20/04/2021

### BENZENE FREE PLASTICIZER

# **SECTION 13 Disposal considerations**

### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- ▶ Reuse
- ► Recycling
- Disposal (if all else fails)

### Product / Packaging disposal

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- DO NOT allow wash water from cleaning or process equipment to enter drains
- It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.
- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Authority for disposal.
- ▶ Bury or incinerate residue at an approved site.
- ▶ Recycle containers if possible, or dispose of in an authorised landfill.

# **SECTION 14 Transport information**

### **Labels Required**

Marine Pollutant NO

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
diisononyl 1,2-cyclohexanedicarboxylate	Not Available

# Transport in bulk in accordance with the ICG Code

Product name	Ship Type
diisononyl 1,2-cyclohexanedicarboxylate	Not Available

# **SECTION 15 Regulatory information**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

diisononyl 1,2-cyclohexanedicarboxylate is found on the following regulatory lists

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA Chemical Substance Inventory - Interim List of Active Substances

### **Federal Regulations**

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

# Section 311/312 hazard categories

Coction 511/512 mazard categories	
Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No

Chemwatch: 4144-85 Page **7** of **8** Issue Date: 27/06/2017 Version No: 5.1.2.1 Print Date: 20/04/2021

### **BENZENE FREE PLASTICIZER**

Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No

# US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

None Reported

### **State Regulations**

### US. California Proposition 65

None Reported

### **National Inventory Status**

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (diisononyl 1,2-cyclohexanedicarboxylate)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	No (diisononyl 1,2-cyclohexanedicarboxylate)		
Japan - ENCS	Yes		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	No (diisononyl 1,2-cyclohexanedicarboxylate)		
Vietnam - NCI	Yes		
Russia - FBEPH	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)		

# **SECTION 16 Other information**

Revision Date	27/06/2017
Initial Date	Not Available

# **SDS Version Summary**

Version	Date of Update	Sections Updated
4.1.2.1	25/05/2006	CAS Number, Toxicity and Irritation (Other)
5.1.2.1	27/06/2017	Acute Health (skin), Appearance, Disposal, Environmental, Fire Fighter (fire/explosion hazard), Instability Condition, Personal Protection (Respirator), Physical Properties, Toxicity and Irritation (Irritation), Toxicity and Irritation (Toxicity Figure), Toxicity and Irritation (Other), Use

# Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

# **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

Chemwatch: 4144-85 Page 8 of 8 Issue Date: 27/06/2017 Version No: 5.1.2.1 Print Date: 20/04/2021

### **BENZENE FREE PLASTICIZER**

LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers
ENCS: Existing and New Chemical Substances Inventory
KECI: Korea Existing Chemicals Inventory
NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory
FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.