# TRIETHYLENE GLYCOL Bisley International LLC

Chemwatch: 22566

Version No: 5.1.4.7 Safety Data Sheet according to OSHA HazCom Standard (2012) requirements Chemwatch Hazard Alert Code: 2

Issue Date: 27/06/2017 Print Date: 17/06/2021 S.GHS.USA.EN

# **SECTION 1 Identification**

## **Product Identifier**

Product name	TRIETHYLENE GLYCOL
Chemical Name	triethylene glycol
Synonyms	C6-H14-O4; HO(CH2CH2O)3CH; TEG; Triglycol; Trigol; 1,2-bis(2-hydroxyethoxy)ethane 3,6 dioxaoctane-1,8-diol; 2,2'(1,2- ethanediylbis(oxy))bisethanol 2,2'-ethylenedioxydiethanol; 2,2'-ethylenedioxyethanol 2,2'-ethylenedioxybis(ethanol); ethanol, 2,2'-[1,2- ethanediylbis(oxy)]bis- trigen; ethylene glycol dihydroxydiethyl ether; Triethylene Glycol TRETGL40; triethylene glycol; Orica Triethylene Glycol
Chemical formula	C6-H14-O4
Other means of identification	Not Available
CAS number	112-27-6

#### Recommended use of the chemical and restrictions on use

Relevant identified uses	Used as solvent and plasticizer in vinyl, polyester and polyurethane resins; dehydration of natural gas, humectant in printing inks; extraction
	solvent.

#### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	Bisley International LLC
Address	1790 Hughes Landing Boulevard Suite 400 The Woodlands TX 77380 United States
Telephone	+1 (844) 424 7539
Fax	Not Available
Website	www.bisley.biz
Email	compliance@bisley.biz

#### Emergency phone number

Association / Organisation	Bisley International LLC	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	+1 855 237 5573	+61 2 9186 1132
Other emergency telephone numbers	+61 2 9186 1132	+1 855-237-5573

Once connected and if the message is not in your prefered language then please dial 01

Una vez conectado y si el mensaje no está en su idioma preferido, por favor marque 02

## SECTION 2 Hazard(s) identification

#### Classification of the substance or mixture

Considered a Hazardous Substance by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). Not classified as Dangerous Goods for transport purposes.

# NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation), Specific target organ toxicity - repeated exposure Category 2
Label elements	
Hazard pictogram(s)	

Signal word

# Hazard statement(s)

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

#### Hazard(s) not otherwise classified

Not Applicable

#### Precautionary statement(s) Prevention

P260	Do not breathe mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P264	Wash all exposed external body areas thoroughly after handling.

#### Precautionary statement(s) Response

P362	Take off contaminated clothing and wash before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P302+P352 P304+P340 P332+P313	IF ON SKIN, wash with plenty of water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If skin irritation occurs: Get medical advice/attention.

#### Precautionary statement(s) Storage

	-
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

#### Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

# **SECTION 3 Composition / information on ingredients**

## Substances

CAS No	%[weight]	Name
112-27-6	>=95	triethylene glycol

#### Mixtures

See section above for composition of Substances

## **SECTION 4 First-aid measures**

#### Description of first aid measures

Eye Contact	<ul> <li>If this product comes in contact with the eyes:</li> <li>Wash out immediately with fresh running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	<ul> <li>If skin contact occurs:</li> <li>Immediately remove all contaminated clothing, including footwear.</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>
Inhalation	<ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> </ul>
Ingestion	<ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul>

#### Indication of any immediate medical attention and special treatment needed

#### Treat symptomatically.

- To treat poisoning by the higher aliphatic alcohols (up to C7):
- Gastric lavage with copious amounts of water.
- It may be beneficial to instill 60 ml of mineral oil into the stomach.
- Oxygen and artificial respiration as needed.
- Electrolyte balance: it may be useful to start 500 ml. M/6 sodium bicarbonate intravenously but maintain a cautious and conservative attitude toward electrolyte replacement unless shock or severe acidosis threatens.
- To protect the liver, maintain carbohydrate intake by intravenous infusions of glucose.
- + Haemodialysis if coma is deep and persistent. [GOSSELIN, SMITH HODGE: Clinical Toxicology of Commercial Products, Ed 5)

#### BASIC TREATMENT

- \_\_\_\_\_
- Establish a patent airway with suction where necessary.
- Watch for signs of respiratory insufficiency and assist ventilation as necessary.
   Administer assures by non-representation mark at 10 to 15 l/min
- Administer oxygen by non-rebreather mask at 10 to 15 l/min.
   Monitor and treat where necessary for shock
- Monitor and treat, where necessary, for shock.
- Monitor and treat, where necessary, for pulmonary oedema.
- Anticipate and treat, where necessary, for seizures.
- DO NOT use emetics. Where ingestion is suspected rinse mouth and give up to 200 ml water (5 ml/kg recommended) for dilution where patient is able to swallow, has a strong gag reflex and does not drool.
- Give activated charcoal.

# ADVANCED TREATMENT

- Consider orotracheal or nasotracheal intubation for airway control in unconscious patient or where respiratory arrest has occurred.
- Positive-pressure ventilation using a bag-valve mask might be of use.
- Monitor and treat, where necessary, for arrhythmias.
- Start an IV D5W TKO. If signs of hypovolaemia are present use lactated Ringers solution. Fluid overload might create complications.
- If the patient is hypoglycaemic (decreased or loss of consciousness, tachycardia, pallor, dilated pupils, diaphoresis and/or dextrose strip or glucometer readings below 50 mg),
- give 50% dextrose
- + Hypotension with signs of hypovolaemia requires the cautious administration of fluids. Fluid overload might create complications.
- Drug therapy should be considered for pulmonary oedema.
- Treat seizures with diazepam.
- Proparacaine hydrochloride should be used to assist eye irrigation.

#### EMERGENCY DEPARTMENT

- ------
- Laboratory analysis of complete blood count, serum electrolytes, BUN, creatinine, glucose, urinalysis, baseline for serum aminotransferases (ALT and AST), calcium, phosphorus and magnesium, may assist in establishing a treatment regime. Other useful analyses include anion and osmolar gaps, arterial blood gases (ABGs), chest radiographs and electrocardiograph.
- Positive end-expiratory pressure (PEEP)-assisted ventilation may be required for acute parenchymal injury or adult respiratory distress syndrome.
- Acidosis may respond to hyperventilation and bicarbonate therapy.
- Haemodialysis might be considered in patients with severe intoxication.
- Consult a toxicologist as necessary. BRONSTEIN, A.C. and CURRANCE, P.L. EMERGENCY CARE FOR HAZARDOUS MATERIALS EXPOSURE: 2nd Ed. 1994

For C8 alcohols and above

Symptomatic and supportive therapy is advised in managing patients.

#### **SECTION 5 Fire-fighting measures**

#### Extinguishing media

- Alcohol stable foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

Spec

#### Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
ial protoctivo oquinmont a	nd propoutions for fire fighters
al protective equipment and precautions for fire-ingitiers	

Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear full body protective clothing with breathing apparatus.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> <li>Use water delivered as a fine spray to control fire and cool adjacent area.</li> </ul>
Fire/Explosion Hazard	<ul> <li>Combustible.</li> <li>Slight fire hazard when exposed to heat or flame.</li> <li>Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>On combustion, may emit toxic fumes of carbon monoxide (CO).</li> <li>Combustion products include:</li> <li>carbon dioxide (CO2)</li> <li>other pyrolysis products typical of burning organic material.</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul>

## **SECTION 6 Accidental release measures**

Personal precautions, protective equipment and emergency procedures

# Page 4 of 9

#### See section 12

# Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Slippery when spilt.</li> <li>Remove all ignition sources.</li> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> </ul>
Major Spills	<ul> <li>Slippery when spilt.</li> <li>Moderate hazard.</li> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves.</li> </ul>

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

#### Precautions for safe handling

i recautione for care nanaling	
Safe handling	<ul> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Prevent concentration in hollows and sumps.</li> </ul>
Other information	<ul> <li>Material is hygroscopic, i.e. absorbs moisture from the air. Keep containers well sealed in storage.</li> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>No smoking, naked lights or ignition sources.</li> <li>Store in a cool, dry, well-ventilated area.</li> </ul>

#### Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Metal can or drum</li> <li>Packaging as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	<ul> <li>Alcohols</li> <li>are incompatible with strong acids, acid chlorides, acid anhydrides, oxidising and reducing agents.</li> <li>reacts, possibly violently, with alkaline metals and alkaline earth metals to produce hydrogen</li> <li>react with strong acids, strong caustics, aliphatic amines, isocyanates, acetaldehyde, benzoyl peroxide, chromic acid, chromium oxide, dialkylzincs, dichlorine oxide, ethylene oxide, hypochlorous acid, isopropyl chlorocarbonate, lithium tetrahydroaluminate, nitrogen dioxide, pentafluoroguanidine, phosphorus halides, phosphorus pentasulfide, tangerine oil, triethylaluminium, triisobutylaluminium</li> <li>should not be heated above 49 deg. C. when in contact with aluminium equipment</li> <li>Avoid strong acids, bases.</li> </ul>



X — Must not be stored together

**0** — May be stored together with specific preventions

+ - May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

#### **SECTION 8 Exposure controls / personal protection**

#### **Control parameters**

Occupational Exposure Limits (O	EL)			
Not Available				
Emergency Limits				
Ingredient	TEEL-1	TEEL-2		TEEL-3
triethylene glycol	130 mg/m3	1,400 mg/m3		4,400 mg/m3
Ingredient	Original IDLH		Revised IDLH	
triethylene glycol	Not Available		Not Available	
Occupational Exposure Banding				
Ingredient	Occupational Exposure Band Rating		Occupational Expo	sure Band Limit
triethylene glycol	E		≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process adverse health outcomes associated with ex range of exposure concentrations that are e.	of assigning chemicals into s posure. The output of this pro spected to protect worker hea	specific categories or b ocess is an occupationa alth.	ands based on a chemical's potency and the al exposure band (OEB), which corresponds to a

Exposure controls	
Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Personal protection	
Eye and face protection	<ul> <li>Safety glasses with side shields.</li> <li>Chemical goggles.</li> <li>Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</li> <li>Personal hygiene is a key element of effective hand care.</li> </ul>
Body protection	See Other protection below
Other protection	<ul> <li>Overalls.</li> <li>P.V.C apron.</li> <li>Barrier cream.</li> <li>Skin cleansing cream.</li> </ul>

#### **Respiratory protection**

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

#### **SECTION 9 Physical and chemical properties**

#### Information on basic physical and chemical properties

Material is hygroscopic, absorbs moisture from surrounding air. Appearance Clear, colourless to pale yellow, liquid. Very mild, sweet odour. Mixes with water, alcohol. Practically insoluble in petroleum ether, toluene and benzene. Physical state Liquid Relative density (Water = 1) 1.13 Partition coefficient n-octanol Odour Not Available Not Available / water Odour threshold Not Available Auto-ignition temperature (°C) 371 pH (as supplied) Not Available **Decomposition temperature** Not Available Melting point / freezing point Not Available -4 to -5 Viscosity (cSt) (°C) Initial boiling point and boiling 286-7 Molecular weight (g/mol) 150.20 range (°C) Flash point (°C) 154 - 177 Taste Not Available Evaporation rate Not Available Explosive properties Not Available Flammability Not Applicable **Oxidising properties** Not Available Surface Tension (dyn/cm or Upper Explosive Limit (%) 92 Not Available mN/m) Lower Explosive Limit (%) 0.9 Volatile Component (%vol) Not Available Vapour pressure (kPa) < 0.0013 @ 20 C Gas group Not Available Solubility in water Miscible pH as a solution (%) Not Available Vapour density (Air = 1) VOC g/L Not Available 5.17

#### SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>

# Page 6 of 9

#### TRIETHYLENE GLYCOL

Possibility of hazardous reactions	See section 7		
Conditions to avoid	See section 7		
Incompatible materials	See section 7		
Hazardous decomposition products	See section 5		
SECTION 11 Toxicological i	nformation		
Information on toxicological ef	fects		
Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by sleepiness, reduced alertness, loss of reflexes, lack of co-ordination, and vertigo. Inhalation hazard is increased at higher temperatures. Aliphatic alcohols with more than 3-carbons cause headache, dizziness, drowsiness, muscle weakness and delirium, central depression, coma, seizures and behavioural changes. Secondary respiratory depression and failure, as well as low blood pressure and irregular heart rhythms, may follow. Inhalation of aerosols (mists, fumes), generated by the material during the course of normal handling, may be damaging to the health of the individual. Not normally a vapour risk due to low vapour pressure at normal temperatures.		
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual. Overexposure to non-ring alcohols causes nervous system symptoms. These include headache, muscle weakness and inco-ordination, giddiness, confusion, delirium and coma. If swallowed, the toxic effects of glycols (dihydric alcohols) are similar to those of alcohol, with depression of the central nervous system, nausea, vomiting, and degenerative changes in the liver and kidney. Ingestion may result in symptoms similar to alcoholic intoxication.		
Skin Contact	The material may accentuate any pre-existing dermatitis condition Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Most liquid alcohols appear to act as primary skin irritants in humans. Significant percutaneous absorption occurs in rabbits but not apparently in man. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. There is some evidence to suggest that the material may cause mild but significant inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterised by redness. swelling and blistering		
Eye	Limited evidence or practical experience suggests, that the material may cause eye irritation in a substantial number of individuals. Prolonged eye contact may cause inflammation characterised by a temporary redness of the conjunctiva (similar to windburn).		
Chronic	Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems. Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems.		
	тохісіту	IRRITATION	
	Dermal (rabbit) LD50: 18080 mg/kg <sup>[1]</sup>	Eyes (rabbit) (-) Mild	
triethylene glycol	Inhalation(Rat) LC50; >5.2 mg/l4h <sup>[1]</sup>	Skin (rabbit) 500 mg/24h Mild	
	Oral(Rat) LD50; >18080 mg/kg <sup>[1]</sup>		
Logondi	1 Value obtained from Europe ECHA Periptered Substances Agute to	visity 2 * Value obtained from manufacturar's SDS Upless otherwise	

specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. For triethylene glycol : Reproductive Data: Reproductivity tests in animals have been negative. Mutagenicity Data: No adverse mutagenic effects are anticipated. Teratogenicity Data: Teratogenicity tests in animals have been negative. Respiratory / Skin Sensitization Data: None known. Synergistic Materials: Alcohols/Glycols: Alcohols may interact synergistically with chlorinated solvents (example - carbon tetrachloride, chloroform, bromotrichloromethane), dithiocarbamates (example - disulfiram), dimethylnitrosamine and thioacetamide. Other Studies Relevant to Material: Triethylene Glycol was given to rats by inclusion in the diet for 90 days at concentrations of 10,000, 20,000, or 50,000 ppm. At the highest dose, there were decreases in body weight. Physiologic responses to these high doses were observed in kidney weight and urinalysis. No specific organ toxicity was seen. In a 9-day (whole body) repeated exposure (6 h/day) study with rats, mortality occurred at 4,284 mg/M3 and effects included eye irritation and increased alanine aminotransferase and alkaline phosphatase activities; at 494 mg/M3, there was slightly increased alkaline phosphatase activity. In a sensory irritation study in mice, exposure to high concentrations of triethylene glycol aerosol resulted in decreased respiratory rate. The RD50, or concentration that produced a 50% decrease in respiratory rate, was 5.1 mg/L

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	✓	Reproductivity	×
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	*
Mutagenicity	×	Aspiration Hazard	×
	Legend: 🗙 – Data either not available or does not fill the criteria for class:		not available or does not fill the criteria for classification

Legend:

Data available to make classification

# SECTION 12 Ecological information

Toxicity					
	Endpoint	Test Duration (hr)	Species	Value	Source
	LC50	96h	Fish	>10000mg/l	2
triethylene glycol	EC50	48h	Crustacea	>10000mg/l	2
	NOEC(ECx)	504h	Crustacea	37.29mg/L	4
	EC50	96h	Algae or other aquatic plants	20518mg/l	2
Legend:	Extracted from 1 V3.12 (QSAR) -	<ol> <li>IUCLID Toxicity Data 2. Europe ECHA Regist Aquatic Toxicity Data (Estimated) 4. US EPA. I</li> </ol>	ered Substances - Ecotoxicological Informati Ecotox database - Aquatic Toxicity Data 5. EC	ion - Aquatic Toxicity 3. El CETOC Aquatic Hazard A	PIWIN Suite

#### DO NOT discharge into sewer or waterways

For triethylene glycol Koc : 2 Half-life (hr) air : 11.5 Henrys atm m3 /mol: 3.16E-11 BOD 5 if unstated: 0.03,1.4% COD : 1.57 Log BCF : -1.73 Environmental fate: Environmental Fate: This product is biodegradable. No food chain concentration potential. Triethylene glycol has high mobility in soil. Triethylene glycol is estimated to have a low potential to bioconcentrate. Degradation Biological: some processes Abiotic: RxnOH\*, photolysis not significant, Ecotoxicity: Fish LC50 (96 h): fathead minnow, bluegill sunfish gt;10000 mg/l; goldfish gt;5000 mg/l Daphnia LC50 (48 h): gt;10000 mg Toxicity invertebrate: LDO bac.1g/L Nitrif. inhib. : 35% inhib at 100mg/L Effects on algae and plankton: LD0 algae 1mg/L

Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
triethylene glycol	LOW	LOW	
Bioaccumulative potential			
Ingredient	Bioaccumulation		
triethylene glycol	LOW (LogKOW = -1.7484)		
Mobility in soil			
Ingredient	Mobility		

# **SECTION 13 Disposal considerations**

Waste	treatment	methods
-------	-----------	---------

triethylene glycol

Product / Packaging disposal	Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Reuse Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Authority for disposal. Bury or incinerate residue at an approved site. Recycle containers if possible, or dispose of in an authorised landfill.
------------------------------	---

#### **SECTION 14 Transport information**

# Labels Required

Marine Pollutant NO

# Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

LOW (KOC = 10)

# Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

## Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

## Transport in bulk according to Annex II of MARPOL and the IBC code

Triethylene glycol OS Not Applicable	Product name	Pollution Category	Ship Type
	Triethylene glycol	OS	Not Applicable

# Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
triethylene glycol	Not Available

ersion No: <b>5.1.4.1</b>	TRI	ETHYLENE GLYCOL	Print Date: <b>17/06</b>
Product name	Shin Type		
triethylene glycol	Not Available		
thethylene giycol	NULAVAIIADIE		
SECTION 15 Regulato	ry information		
Safety, health and enviro	onmental regulations / legislation specifi	c for the substance or mixture	
triethylene glycol is found	I on the following regulatory lists		
US DOE Temporary Emerge	ency Exposure Limits (TEELs)	US TSCA Chemical Substance Inventor	y - Interim List of Active Substances
US Toxic Substances Contr	ol Act (TSCA) - Chemical Substance Inventory		
ederal Regulations			
Superfund Amendments	and Reauthorization Act of 1986 (SARA	)	
Section 311/312 hazard ca	utegories		
Flammable (Gases, Aeroso	ls, Liquids, or Solids)		No
Gas under pressure			No
Explosive			No
Self-heating			No
Pyrophoric (Liquid or Solid)			No
Pyrophoric Gas			No
Corrosive to metal			No
Oxidizer (Liquid, Solid or Ga	as)		No
Organic Peroxide			No
Self-reactive			No
In contact with water emits	flammable gas		No
Combustible Dust			No
Carcinogenicity			No
Acute toxicity (any route of	exposure)		No
Reproductive toxicity			No
Skin Corrosion or Irritation			Yes
Respiratory or Skin Sensitiz	ration		No
Serious eye damage or eye	irritation		Yes
Specific target organ toxicit	y (single or repeated exposure)		Yes
Aspiration Hazard			No
Germ cell mutagenicity			No
Simple Asphyxiant			No

Page 8 of 9

# State Regulations

Chemwatch: 22566

# US. California Proposition 65

None Reported

# National Inventory Status

National Inventory	Status	
Australia - AIIC / Australia Non-Industrial Use	Yes	
Canada - DSL	Yes	
Canada - NDSL	No (triethylene glycol)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	Yes	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	Yes	
Taiwan - TCSI	Yes	
Mexico - INSQ	Yes	
Vietnam - NCI	Yes	
Russia - FBEPH	Yes	

Issue Date: 27/06/2017

National Inventory	Status
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

### **SECTION 16 Other information**

Revision Date	27/06/2017
Initial Date	Not Available

#### SDS Version Summary

Version	Date of Update	Sections Updated
4.1.2.1	16/08/2006	Acute Health (swallowed), Supplier Information, Toxicity and Irritation (Toxicity Figure)
4.1.3.1	10/05/2021	Regulation Change
4.1.4.1	24/05/2021	Regulation Change
4.1.4.2	30/05/2021	Template Change
4.1.4.3	04/06/2021	Template Change
4.1.4.4	05/06/2021	Template Change
4.1.4.5	09/06/2021	Template Change
4.1.4.6	11/06/2021	Template Change
4.1.4.7	15/06/2021	Template Change

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure  $\mathsf{Limit}_\circ$ IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value I OD. Limit Of Detection OTV: Odour Threshold Value **BCF: BioConcentration Factors BEI: Biological Exposure Index** AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.