

# Xeolith® LiNO3 Admixture Bisley International LLC

Chemwatch: **5379-62** Version No: **3.1.1.1** 

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

#### Chemwatch Hazard Alert Code: 2

Issue Date: **17/02/2020**Print Date: **10/03/2021**S.GHS.USA.EN

#### **SECTION 1 Identification**

#### Product Identifier

| Froduct identifier            |                          |  |
|-------------------------------|--------------------------|--|
| Product name                  | Xeolith® LiNO3 Admixture |  |
| Chemical Name                 | Not Applicable           |  |
| Synonyms                      | Not Available            |  |
| Chemical formula              | Not Applicable           |  |
| Other means of identification | Not Available            |  |

#### Recommended use of the chemical and restrictions on use

| Relevant identified uses | Various Industrial Applications.            |
|--------------------------|---|
| Relevant identified uses | Use according to manufacturer's directions. |

#### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

| Registered company name | Bisley International LLC   |
|-------------------------|--|
| Address                 | 1790 Hughes Landing Boulevard Suite 400 The Woodlands TX 77380 United States |
| Telephone               | +1 (844) 424 7539  |
| Fax                     | Not Available  |
| Website                 | www.bisley.biz   |
| Email                   | compliance@bisley.biz  |

### Emergency phone number

| Association / Organisation        | Bisley International LLC | CHEMWATCH EMERGENCY RESPONSE |
|-----------------------------------|--------------------------|------------------------------|
| Emergency telephone numbers       | +1 855 237 5573          | +61 2 9186 1132              |
| Other emergency telephone numbers | +61 2 9186 1132          | +1 855-237-5573              |

Once connected and if the message is not in your prefered language then please dial 01

Una vez conectado y si el mensaje no está en su idioma preferido, por favor marque 02

#### SECTION 2 Hazard(s) identification

#### Classification of the substance or mixture

Considered a Hazardous Substance by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). Not classified as Dangerous Goods for transport purposes.

# NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation), Acute Aquatic Hazard Category 3

#### Label elements

Issue Date: 17/02/2020 Print Date: 10/03/2021





| Signal word | Warnin |
|-------------|--------|
|             |        |

#### Hazard statement(s)

| H302 | Harmful if swallowed.             |
|------|-----------------------------------|
| H315 | Causes skin irritation.           |
| H319 | Causes serious eye irritation.    |
| H335 | May cause respiratory irritation. |
| H402 | Harmful to aquatic life.          |

#### Hazard(s) not otherwise classified

Not Applicable

#### Precautionary statement(s) Prevention

| P271 | Use only outdoors or in a well-ventilated area.                            |
|------|--|
| P261 | Avoid breathing mist/vapours/spray.  |
| P270 | Do not eat, drink or smoke when using this product.                        |
| P273 | Avoid release to the environment.  |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |

#### Precautionary statement(s) Response

| P362           | Take off contaminated clothing and wash before reuse.  |
|----------------|--|
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313      | If eye irritation persists: Get medical advice/attention.  |
| P301+P312      | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.   |
| P302+P352      | IF ON SKIN: Wash with plenty of water.   |
| P304+P340      | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.                                 |
| P330           | Rinse mouth.   |
| P332+P313      | If skin irritation occurs: Get medical advice/attention.   |

#### Precautionary statement(s) Storage

| , , ,     | <u> </u>   |
|-----------|--|
| P405      | Store locked up.   |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |

#### Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

### **SECTION 3 Composition / information on ingredients**

#### Substances

See section below for composition of Mixtures

#### Mixtures

| CAS No    | %[weight] | Name            |
|-----------|-----------|-----------------|
| 7790-69-4 | 30        | lithium nitrate |
| 7732-18-5 | 70        | water           |

# **SECTION 4 First-aid measures**

| Description of first aid measures |   |  |
|-----------------------------------|---|--|
| Eye Contact                       | If this product comes in contact with the eyes:  Wash out immediately with fresh running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Seek medical attention without delay; if pain persists or recurs seek medical attention.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |  |
| Skin Contact                      | If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.   |  |
| Inhalation                        | <ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>   |  |

Chemwatch: 5379-62 Page 3 of 9

#### Xeolith® LiNO3 Admixture

Issue Date: 17/02/2020 Print Date: 10/03/2021

Ingestion

- If swallowed do **NOT** induce vomiting
- If yomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- ▶ Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink
- Seek medical advice

#### Most important symptoms and effects, both acute and delayed

Version No: 3.1.1.1

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

The toxicity of nitrates and nitrites result from their vasodilating properties and their propensity to form methaemoglobin.

- Most produce a peak effect within 30 minutes.
- Clinical signs of cyanosis appear before other symptoms because of the dark pigmentation of methaemoglobin.
- Initial attention should be directed towards improving oxygen delivery, with assisted ventilation, if necessary. Hyperbaric oxygen has not demonstrated conclusive benefits.
- Institute cardiac monitoring, especially in patients with coronary artery or pulmonary disease.
- Hypotension should respond to Trendelenburg's position and intravenous fluids; otherwise dopamine may be needed.
- Naloxone, glucose and thiamine should be given if a multiple ingestion is suspected.
- Decontaminate using Ipecac Syrup for alert patients or lavage for obtunded patients who present within 2-4 hours of ingestion.
- Symptomatic patients with methaemoglobin levels over 30% should receive methylene blue. (Cyanosis alone, is not an indication for treatment). The usual dose is 1-2 mg/kg of a 1% solution (10 mg/ml) IV over 5 minutes; repeat, using the same dose if symptoms of hypoxia fail to subside within 1 hour.

[Ellenhorn and Barceloux: Medical Toxicology]

**BIOLOGICAL EXPOSURE INDEX - BEI** 

These represent the determinants observed in specimens collected from a healthy worker who has been exposed at the Exposure Standard (ES or TLV):

Comments Determinant Index Sampling Time 1. Methaemoglobin in blood 1.5% of haemoglobin During or end of shift B,NS,SQ

- B: Background levels occur in specimens collected from subjects NOT exposed
- NS: Non-specific determinant; also observed after exposure to other materials
- SQ: Semi-quantitative determinant Interpretation may be ambiguous; should be used as a screening test or confirmatory test.

#### **SECTION 5 Fire-fighting measures**

#### **Extinguishing media**

- Foam
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

#### Special hazards arising from the substrate or mixture

Fire Incompatibility

None known.

#### Special protective equipment and precautions for fire-fighters

# Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves in the event of a fire.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use fire fighting procedures suitable for surrounding area.

- ▶ Non combustible
- Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of:

#### Fire/Explosion Hazard nitrogen oxides (NOx)

metal oxides

May emit poisonous fumes. May emit corrosive fumes

#### **SECTION 6 Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

| Minor Spills |
|--------------|
|              |

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes
- ► Control personal contact with the substance, by using protective equipment. ▶ Contain and absorb spill with sand, earth, inert material or vermiculite

#### **Major Spills**

- Moderate hazard.
  - Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard.
  - Wear breathing apparatus plus protective gloves.

Chemwatch: **5379-62**Version No: **3.1.1.1** 

Page 4 of 9

Xeolith® LiNO3 Admixture

Issue Date: **17/02/2020**Print Date: **10/03/2021** 

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 Handling and storage**

#### Precautions for safe handling

# Safe handling

- ▶ DO NOT allow clothing wet with material to stay in contact with skin
- ▶ Avoid all personal contact, including inhalation.
- ▶ Wear protective clothing when risk of exposure occurs
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.

#### Other information

- Store in original containers.
- Keep containers securely sealed.
- No smoking, naked lights or ignition sources.
- Store in a cool, dry, well-ventilated area.

#### Conditions for safe storage, including any incompatibilities

#### Suitable container

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

# Storage incompatibility

#### Flammable materials.

- Avoid storage with reducing agents.
- Avoid reaction with oxidising agents, bases and strong reducing agents.
- Avoid strong acids, bases.

#### netals















- X Must not be stored together
- May be stored together with specific preventions
- + May be stored together

#### **SECTION 8 Exposure controls / personal protection**

#### **Control parameters**

Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Not Available

#### Emergency Limits

| Ingredient      | TEEL-1   | TEEL-2    | TEEL-3      |
|-----------------|----------|-----------|-------------|
| lithium nitrate | 30 mg/m3 | 330 mg/m3 | 2,000 mg/m3 |

| Ingredient      | Original IDLH | Revised IDLH  |
|-----------------|---------------|---------------|
| lithium nitrate | Not Available | Not Available |
| water           | Not Available | Not Available |

#### Occupational Exposure Banding

| Ingredient      | Occupational Exposure Band Rating  | Occupational Exposure Band Limit |
|-----------------|--|----------------------------------|
| lithium nitrate | E  | ≤ 0.01 mg/m³                     |
| Notes:          | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure conceptrations that are expected to protect worker health. |                                  |

#### **Exposure controls**

# Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

#### Personal protection











#### ersonal protection

### Eye and face protection

- ► Safety glasses with side shields
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

#### Skin protection

See Hand protection below

Issue Date: **17/02/2020**Print Date: **10/03/2021** 

Wear chemical protective gloves, e.g. PVC. ▶ Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance Hands/feet protection and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. See Other protection below **Body protection** ▶ Overalls. P.V.C apron. Other protection Barrier cream. Skin cleansing cream.

#### Respiratory protection

Version No: 3.1.1.1

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

- Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.
- Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- Use approved positive flow mask if significant quantities of dust becomes airborne.
- ▶ Try to avoid creating dust conditions.

#### **SECTION 9 Physical and chemical properties**

#### Information on basic physical and chemical properties

| Appearance                                   | White to pale yellow liquid; mixes with water. |   |                |
|--|--|---|----------------|
| Physical state                               | Liquid   | Relative density (Water = 1)            | 1.20-1.23      |
| Odour  | Not Available                                  | Partition coefficient n-octanol / water | Not Available  |
| Odour threshold                              | Not Available                                  | Auto-ignition temperature (°C)          | Not Available  |
| pH (as supplied)                             | 3-7  | Decomposition temperature               | Not Available  |
| Melting point / freezing point (°C)          | Not Available                                  | Viscosity (cSt)                         | Not Available  |
| Initial boiling point and boiling range (°C) | >100   | Molecular weight (g/mol)                | Not Applicable |
| Flash point (°C)                             | Not Applicable                                 | Taste                                   | Not Available  |
| Evaporation rate                             | Not Available                                  | Explosive properties                    | Not Available  |
| Flammability                                 | Not Applicable                                 | Oxidising properties                    | Not Available  |
| Upper Explosive Limit (%)                    | Not Applicable                                 | Surface Tension (dyn/cm or mN/m)        | Not Available  |
| Lower Explosive Limit (%)                    | Not Applicable                                 | Volatile Component (%vol)               | Not Applicable |
| Vapour pressure (kPa)                        | Not Available                                  | Gas group                               | Not Available  |
| Solubility in water                          | Miscible                                       | pH as a solution (1%)                   | Not Available  |
| Vapour density (Air = 1)                     | Not Available                                  | VOC g/L                                 | Not Available  |

#### **SECTION 10 Stability and reactivity**

| Reactivity                         | See section 7  |
|------------------------------------|--|
| Chemical stability                 | <ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul> |
| Possibility of hazardous reactions | See section 7  |
| Conditions to avoid                | See section 7  |
| Incompatible materials             | See section 7  |
| Hazardous decomposition products   | See section 5  |

### **SECTION 11 Toxicological information**

#### Information on toxicological effects

Inhaled

The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by sleepiness, reduced alertness, loss of reflexes, lack of co-ordination, and vertigo.

Not normally a hazard due to non-volatile nature of product

Chemwatch: **5379-62**Version No: **3.1.1.1**Yeolith@

Xeolith® LiNO3 Admixture

Page 6 of 9 Issue Date: 17/02/2020
Print Date: 10/03/2021

| Ingestion  | Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual.  |   |  |
|--|--|---|--|
| Skin Contact   | This material can cause inflammation of the skin on contact in some persons.  Skin contact with the material may damage the health of the individual; systemic effects may result following absorption.  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.  |   |  |
| Eye  | This material can cause eye irritation and damage in s   | ome persons.  |  |
| Chronic  | Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems.  Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.   |   |  |
| TOXICITY IRRITATION  |  |   |  |
| Xeolith® LiNO3 Admixture   | Not Available  | Not Available   |  |
|  | TOXICITY   | IRRITATION  |  |
|  | dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>  | Eye: adverse eff  | ect observed (irritating) <sup>[1]</sup>   |
| lithium nitrate  | Inhalation(Rat) LC50; >5.93 mg/l4 <sup>[1]</sup>   | Skin: no adverse  | e effect observed (not irritating) <sup>[1]</sup>  |
|  | Oral(Rat) LD50; 1317 mg/kg <sup>[1]</sup>  |   |  |
|  | TOXICITY   | IRRITATION  |  |
| water  | Oral(Rat) LD50; >90 mg/kg <sup>[2]</sup>   | Not Available   |  |
| Legend:  | Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  |   |  |
|  |  |   |  |
|  | Asthma-like symptoms may continue for months or ey   |   |  |
| LITHIUM NITRATE  | known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of programmer of the assence of programmer of the symptoms within minutes to hours of a document of a document of the symptoms within minutes to hours of a document of the symptoms within minutes to hours of a document of the symptoms of the symptom | DS) which can occur after exposure to<br>revious airways disease in a non-atop<br>cumented exposure to the irritant. Oth  | oic individual, with sudden onset of persistent ner criteria for diagnosis of RADS include a reversible  |
| LITHIUM NITRATE  | known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of prasthma-like symptoms within minutes to hours of a dorairflow pattern on lung function tests, moderate to several contents.   | OS) which can occur after exposure to<br>revious airways disease in a non-ator<br>cumented exposure to the irritant. Other<br>ere bronchial hyperreactivity on meth-                                    | o high levels of highly irritating compound. Main<br>sic individual, with sudden onset of persistent<br>ner criteria for diagnosis of RADS include a reversible  |
|  | known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of present asthma-like symptoms within minutes to hours of a docairflow pattern on lung function tests, moderate to sever lymphocytic inflammation, without eosinophilia.   | OS) which can occur after exposure to<br>revious airways disease in a non-ator<br>cumented exposure to the irritant. Other<br>ere bronchial hyperreactivity on meth-                                    | o high levels of highly irritating compound. Main<br>sic individual, with sudden onset of persistent<br>ner criteria for diagnosis of RADS include a reversible  |
| LITHIUM NITRATE & WATER  | known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of present asthma-like symptoms within minutes to hours of a docairflow pattern on lung function tests, moderate to sevel lymphocytic inflammation, without eosinophilia.  No significant acute toxicological data identified in liter  | OS) which can occur after exposure to revious airways disease in a non-ator cumented exposure to the irritant. Othere bronchial hyperreactivity on methodature search.                                  | o high levels of highly irritating compound. Main<br>pic individual, with sudden onset of persistent<br>per criteria for diagnosis of RADS include a reversible<br>acholine challenge testing, and the lack of minimal |
| LITHIUM NITRATE & WATER  Acute Toxicity                            | known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of properties of the absence of properties of the asthma-like symptoms within minutes to hours of a docairflow pattern on lung function tests, moderate to sevelymphocytic inflammation, without eosinophilia.  No significant acute toxicological data identified in liter   | OS) which can occur after exposure to revious airways disease in a non-atop cumented exposure to the irritant. Othere bronchial hyperreactivity on methature search.  Carcinogenicity                   | b high levels of highly irritating compound. Main ic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal           |
| LITHIUM NITRATE & WATER  Acute Toxicity  Skin Irritation/Corrosion | known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of properties of the absence of the asthma-like symptoms within minutes to hours of a docal flow pattern on lung function tests, moderate to several lymphocytic inflammation, without eosinophilia.  No significant acute toxicological data identified in liter   | OS) which can occur after exposure to revious airways disease in a non-atop cumented exposure to the irritant. Othere bronchial hyperreactivity on method ture search.  Carcinogenicity  Reproductivity | b high levels of highly irritating compound. Main ic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal           |

Legend:

★ - Data either not available or does not fill the criteria for classification

– Data available to make classification

# **SECTION 12 Ecological information**

#### **Toxicity**

|                          | Endpoint         | Test Duration (hr) | Species                       | Value            | Source           |
|--------------------------|------------------|--------------------|-------------------------------|------------------|------------------|
| Xeolith® LiNO3 Admixture | Not<br>Available | Not Available      | Not Available                 | Not<br>Available | Not<br>Available |
|                          | Endpoint         | Test Duration (hr) | Species                       | Value            | Source           |
| lithium nitrate          | EC50(ECx)        | 504                | Crustacea                     | >1.7mg/l         | 2                |
|                          | LC50             | 96                 | Fish                          | 158mg/l          | 2                |
|                          | EC50             | 48                 | Crustacea                     | 249mg/l          | 2                |
|                          | EC50             | 72                 | Algae or other aquatic plants | 112mg/l          | 2                |
|                          | Endpoint         | Test Duration (hr) | Species                       | Value            | Source           |
| water                    | Not<br>Available | Not Available      | Not Available                 | Not<br>Available | Not<br>Available |

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Harmful to aquatic organisms.

DO NOT discharge into sewer or waterways.

#### Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|-------------------------|------------------|
| water      | LOW                     | LOW              |

Issue Date: 17/02/2020 Print Date: 10/03/2021

#### Bioaccumulative potential

| Ingredient | Bioaccumulation      |
|------------|----------------------|
| water      | LOW (LogKOW = -1.38) |

#### Mobility in soil

| Ingredient | Mobility         |
|------------|------------------|
| water      | LOW (KOC = 14.3) |

#### **SECTION 13 Disposal considerations**

#### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- ▶ Reduction
- ► Reuse
- ► Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- Product / Packaging disposal
- DO NOT allow wash water from cleaning or process equipment to enter drains
   It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- ► Decontaminate empty containers.

#### **SECTION 14 Transport information**

#### **Labels Required**

Marine Pollutant

NO

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name    | Group         |
|-----------------|---------------|
| lithium nitrate | Not Available |
| water           | Not Available |

#### Transport in bulk in accordance with the ICG Code

| Product name    | Ship Type     |
|-----------------|---------------|
| lithium nitrate | Not Available |
| water           | Not Available |

#### **SECTION 15 Regulatory information**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### lithium nitrate is found on the following regulatory lists

US DOE Temporary Emergency Exposure Limits (TEELs)
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA Chemical Substance Inventory - Interim List of Active Substances

water is found on the following regulatory lists

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA Chemical Substance Inventory - Interim List of Active Substances

#### Federal Regulations

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

# Section 311/312 hazard categories

| Flammable (Gases, Aerosols, Liquids, or Solids) |    |
|---|----|
| Gas under pressure                              | No |
| Explosive                                       | No |

Issue Date: **17/02/2020**Print Date: **10/03/2021** 

| Self-heating   | No  |
|--|-----|
| Pyrophoric (Liquid or Solid)                                 | No  |
| Pyrophoric Gas   | No  |
| Corrosive to metal   | No  |
| Oxidizer (Liquid, Solid or Gas)                              | No  |
| Organic Peroxide   | No  |
| Self-reactive  | No  |
| In contact with water emits flammable gas                    | No  |
| Combustible Dust   | No  |
| Carcinogenicity  | No  |
| Acute toxicity (any route of exposure)                       | Yes |
| Reproductive toxicity  | No  |
| Skin Corrosion or Irritation                                 | Yes |
| Respiratory or Skin Sensitization                            | No  |
| Serious eye damage or eye irritation                         | Yes |
| Specific target organ toxicity (single or repeated exposure) | No  |
| Aspiration Hazard  | No  |
| Germ cell mutagenicity                                       | No  |
| Simple Asphyxiant  | No  |
| Hazards Not Otherwise Classified                             |     |

#### US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

None Reported

#### **State Regulations**

#### US. California Proposition 65

None Reported

#### **National Inventory Status**

| National Inventory                                 | Status  |
|--|---|
| Australia - AIIC / Australia<br>Non-Industrial Use | Yes   |
| Canada - DSL                                       | Yes   |
| Canada - NDSL                                      | No (lithium nitrate; water)   |
| China - IECSC                                      | Yes   |
| Europe - EINEC / ELINCS / NLP                      | Yes   |
| Japan - ENCS                                       | Yes   |
| Korea - KECI                                       | Yes   |
| New Zealand - NZIoC                                | Yes   |
| Philippines - PICCS                                | Yes   |
| USA - TSCA   | Yes   |
| Taiwan - TCSI                                      | Yes   |
| Mexico - INSQ                                      | Yes   |
| Vietnam - NCI                                      | Yes   |
| Russia - ARIPS                                     | Yes   |
| Legend:  | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

# **SECTION 16 Other information**

| Revision Date | 17/02/2020 |
|---------------|------------|
| Initial Date  | 14/02/2020 |

### **SDS Version Summary**

| Version | Issue Date | Sections Updated |
|---------|------------|------------------|
| 3.1.1.1 | 17/02/2020 | Name             |

# Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Chemwatch: 5379-62 Page 9 of 9 Issue Date: 17/02/2020 Version No: 3.1.1.1 Print Date: 10/03/2021

#### Xeolith® LiNO3 Admixture

**Definitions and abbreviations** 

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.