# FUMARIC ACID Bisley International LLC

Chemwatch: 16799 Version No: 6.1.4.8

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

#### Chemwatch Hazard Alert Code: 2

Issue Date: 26/02/2020 Print Date: 06/07/2021 S.GHS.USA.EN

#### **SECTION 1 Identification**

#### **Product Identifier**

| Product name                  | FUMARIC ACID   |
|-------------------------------|--|
| Chemical Name                 | fumaric acid   |
| Synonyms                      | C4-O4-H4; HO2CCH=CHCO2H; allomaleic acid; boletic acid; trans-butenedioic acid; butenedioic acid; 2-butenedioic acid, (E)-; 1,2-ethenedicarboxylic acid, trans-; trans-1,2-ethenedicarboxylic acid; 1,2-ethylenedicarboxylic acid,(E); lichenic acid; E297; E-297; fumaric acid GPR; fumaric acid for synthesis; fumaric acid E297; fumaric acid |
| Chemical formula              | C4-H4-O4   |
| Other means of identification | Not Available  |
| CAS number                    | 110-17-8   |

#### Recommended use of the chemical and restrictions on use

## Relevant identified uses

As a modifier in polyester, alkyd, and phenolic resins, paper-size resins; plasticisers, rosin esters and adducts, alkyd resin coatings, upgrading natural drying oils to improve drying characteristics. In foods as a tartaric acid substitute, acidulant, and flavouring agent. As a mordant, organic reagent, and in ink formulations. Human skin naturally produces fumaric acid when exposed to sunlight. Fumarate is an intermediate in the citric acid cycle used by cells to produce energy in the form of adenosine triphosphate (ATP) from food. It is formed by the oxidation of succinate by the enzyme succinate dehydrogenase. Fumarate is then converted by the enzyme fumarase to malate. When fumaric acid is added to their feed, lambs produce up to 70% less methane during digestion As an antioxidant.

## Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

| · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · ·  |  |
|---------------------------------------|--|--|
| Registered company name               | Bisley International LLC   |  |
| Address                               | 1790 Hughes Landing Boulevard Suite 400 The Woodlands TX 77380 United States |  |
| Telephone                             | +1 (844) 424 7539  |  |
| Fax                                   | Not Available  |  |
| Website                               | www.bisley.biz   |  |
| Email                                 | compliance@bisley.biz  |  |

#### Emergency phone number

| Association / Organisation        | Bisley International LLC | CHEMWATCH EMERGENCY RESPONSE |
|-----------------------------------|--------------------------|------------------------------|
| Emergency telephone numbers       | +1 855 237 5573          | +61 2 9186 1132              |
| Other emergency telephone numbers | +61 2 9186 1132          | +1 855-237-5573              |

Once connected and if the message is not in your prefered language then please dial 01

Una vez conectado y si el mensaje no está en su idioma preferido, por favor marque 02

#### SECTION 2 Hazard(s) identification

#### Classification of the substance or mixture

Considered a Hazardous Substance by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). Not classified as Dangerous Goods for transport purposes.

#### NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Eye Irritation Category 2A

#### Label elements

Issue Date: 26/02/2020 Print Date: 06/07/2021

## Hazard pictogram(s)



Signal word

## Hazard statement(s)

H319

Causes serious eye irritation.

#### Hazard(s) not otherwise classified

Not Applicable

#### Precautionary statement(s) Prevention

| P280 | Wear protective gloves, protective clothing, eye protection and face protection. |  |
|------|--|--|
| P264 | Wash all exposed external body areas thoroughly after handling.                  |  |

#### Precautionary statement(s) Response

| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
|----------------|--|
| P337+P313      | If eye irritation persists: Get medical advice/attention.  |

#### Precautionary statement(s) Storage

Not Applicable

#### Precautionary statement(s) Disposal

Not Applicable

## **SECTION 3 Composition / information on ingredients**

#### Substances

| CAS No   | %[weight] | Name         |
|----------|-----------|--------------|
| 110-17-8 | >=99      | fumaric acid |

#### **Mixtures**

See section above for composition of Substances

## **SECTION 4 First-aid measures**

#### Description of first aid measures

| Eye Contact  | <ul> <li>If this product comes in contact with the eyes:</li> <li>Wash out immediately with fresh running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>                               |  |
|--------------|---|--|
| Skin Contact | If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.   |  |
| Inhalation   | <ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>   |  |
| Ingestion    | <ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul> |  |

## Most important symptoms and effects, both acute and delayed

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11

## **SECTION 5 Fire-fighting measures**

## Extinguishing media

- ► Water spray or fog.
- Foam.
- Dry chemical powder.BCF (where regulations permit).

Issue Date: 26/02/2020 Print Date: 06/07/2021

#### Special hazards arising from the substrate or mixture

Fire Incompatibility

▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

#### Special protective equipment and precautions for fire-fighters

#### Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water courses
- Use water delivered as a fine spray to control fire and cool adjacent area.

#### Irritating fumes of maleic anhydride may form in fires.

- Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions
- Programic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions).
- Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit will generally not form flammable dust clouds; once initiated, however, larger particles up to 1400 microns diameter will contribute to the propagation of an explosion

Combustion products include:

carbon monoxide (CO)

carbon dioxide (CO2)

other pyrolysis products typical of burning organic material

May emit poisonous fumes. May emit corrosive fumes.

#### **SECTION 6 Accidental release measures**

Fire/Explosion Hazard

#### Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

#### Methods and material for containment and cleaning up

#### **Minor Spills**

- Remove all ignition sources
- Clean up all spills immediately.
- Avoid contact with skin and eyes
- ▶ Control personal contact with the substance, by using protective equipment.

#### **Major Spills**

## Moderate hazard.

- CAUTION: Advise personnel in area.
- Alert Emergency Services and tell them location and nature of hazard.
- Control personal contact by wearing protective clothing.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 Handling and storage**

#### Precautions for safe handling

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.

  - Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions)
  - Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame.
  - Establish good housekeeping practices
  - ▶ Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds.

#### Other information

Safe handling

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry area protected from environmental extremes. ▶ Store away from incompatible materials and foodstuff containers.

#### Conditions for safe storage, including any incompatibilities

Suitable container

- Polyethylene or polypropylene container.
- Check all containers are clearly labelled and free from leaks.

#### Storage incompatibility

Do not store with alkalis or their solutions, carbonates, cyanides, sulfides, hypochlorites, and chlorites

Avoid storage with reducing agents.

Avoid strong bases.

















Chemwatch: 16799 Version No: 6.1.4.8 Page 4 of 9

**FUMARIC ACID** 

Issue Date: **26/02/2020**Print Date: **06/07/2021** 

May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

#### SECTION 8 Exposure controls / personal protection

#### Control parameters

Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Not Available

#### **Emergency Limits**

| 1g,          |               |               |                       |               |
|--------------|---------------|---------------|-----------------------|---------------|
| Ingredient   | TEEL-1        | TEEL-2        |                       | TEEL-3        |
| FUMARIC ACID | Not Available | Not Available |                       | Not Available |
| Ingredient   | Original IDLH |               | Revised IDLH          |               |
| fumaric acid | Not Available |               | ailable Not Available |               |

#### Occupational Exposure Banding

| Ingredient   | Occupational Exposure Band Rating  | Occupational Exposure Band Limit |  |
|--------------|--|----------------------------------|--|
| fumaric acid | E  | ≤ 0.01 mg/m³                     |  |
| Notes:       | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health. |                                  |  |

#### **Exposure controls**

## Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

#### Personal protection











## Eye and face protection

- Safety glasses with side shields.
- Chemical goggles.
  - Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

#### Skin protection

#### See Hand protection below

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when

## Hands/feet protection

making a final choice.
Personal hygiene is a key element of effective hand care.

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

- polychloroprene
- nitrile rubber.
- butyl rubber.

## Body protection

See Other protection below

#### Other protection

- Overalls.
- P.V.C apron.
- Barrier cream.
- Skin cleansing cream.

#### Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

- · Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.
- · Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- · Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)
- Use approved positive flow mask if significant quantities of dust becomes airborne.
- Try to avoid creating dust conditions.

## **SECTION 9 Physical and chemical properties**

Issue Date: **26/02/2020**Print Date: **06/07/2021** 

#### Information on basic physical and chemical properties

Appearance

Odourless, white powder or crystals with fruit-like taste. Soluble in water (0.63 g/100 g @ 25C), alcohol (5.76 g/100 g @ 30C), acetone (1.72 g/100 g @ 25C), and ether (0.72g/100 g @ 25C). Insoluble in olive oil, chloroform, carbon tetrachloride, benzene, xylene, camphor, and ammonia. Sublimes above 200C. Readily biodegradable.

| Physical state                               | Divided Solid    | Relative density (Water = 1)            | 1.64              |
|--|------------------|---|-------------------|
| Odour  | Not Available    | Partition coefficient n-octanol / water | Not Available     |
| Odour threshold                              | Not Available    | Auto-ignition temperature (°C)          | 393               |
| pH (as supplied)                             | Not Applicable   | Decomposition temperature               | 230 (open vessel) |
| Melting point / freezing point (°C)          | 287 sealed tube  | Viscosity (cSt)                         | Not Applicable    |
| Initial boiling point and boiling range (°C) | 290 (decomposes) | Molecular weight (g/mol)                | 116.08            |
| Flash point (°C)                             | 148 (TOC)        | Taste                                   | Not Available     |
| Evaporation rate                             | Not Applicable   | Explosive properties                    | Not Available     |
| Flammability                                 | Not Applicable   | Oxidising properties                    | Not Available     |
| Upper Explosive Limit (%)                    | 40 kg/m3         | Surface Tension (dyn/cm or mN/m)        | Not Applicable    |
| Lower Explosive Limit (%)                    | 3 kg/m3          | Volatile Component (%vol)               | Not Available     |
| Vapour pressure (kPa)                        | 1.3 @ 0C         | Gas group                               | Not Available     |
| Solubility in water                          | Miscible         | pH as a solution (%)                    | Not Available     |
| Vapour density (Air = 1)                     | Not Applicable   | VOC g/L                                 | Not Available     |

#### **SECTION 10 Stability and reactivity**

| Reactivity                         | See section 7  |  |
|------------------------------------|--|--|
| Chemical stability                 | <ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul> |  |
| Possibility of hazardous reactions | See section 7  |  |
| Conditions to avoid                | See section 7  |  |
| Incompatible materials             | See section 7  |  |
| Hazardous decomposition products   | See section 5  |  |

#### **SECTION 11 Toxicological information**

### Information on toxicological effects

Inhalation of the dust will produce coughing, sneezing, and breathing difficulty. Ingestion of large amounts may produce nausea, vomiting, and diarrhea. [Mallinckrodt product information]

## Inhaled

The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.

## Ingestion

The material is a permitted food additive.

Accidental ingestion of the material may be damaging to the health of the individual.

At sufficiently high doses the material may be nephrotoxic (i.e. poisonous to the kidney).

Ingestion of low-molecular organic acid solutions may produce spontaneous haemorrhaging, production of blood clots, gastrointestinal damage and narrowing of the oesophagus and stomach entry.

Fumaric acid and its sodium salts damage the kidney, digestive system and liver, and cause flushing.

## Skin Contact

Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.

There is some evidence to suggest that the material may cause mild but significant inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterised by redness, swelling and blistering.

Open cuts, abraded or irritated skin should not be exposed to this material

Solution of material in moisture on the skin, or perspiration, may increase irritant effects

Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

## Eye

Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result.

Solutions of low-molecular weight organic acids cause pain and injury to the eyes.

## Chronic

Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.

Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5 micron penetrating and remaining in the lung.

Chemwatch: 16799 Version No: 6.1.4.8 Page 6 of 9

**FUMARIC ACID** 

Issue Date: 26/02/2020 Print Date: 06/07/2021

| fumaric acid | TOXICITY   | IRRITATION                        |
|--------------|--|-----------------------------------|
|              | Dermal (rabbit) LD50: >20000 mg/kg <sup>[2]</sup>  | Eye (rabbit): 100 mg/24h-moderate |
|              | Inhalation(Rat) LC50; >1.306 mg/l4h <sup>[1]</sup> | Skin (rabbit): 500 mg/24h - mild  |
|              | Oral(Mouse) LD50; 100 mg/kg <sup>[2]</sup>         |                                   |
|              |  |                                   |

Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.\* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Fumaric acid is used in small amounts in the preparation of food, i.e. as an antioxidant. In the treatment of psoriasis, doses of several hundred mg are common. Among the side-effects are leucopenia and lymphopenia. Other adverse effects may include intolerable abdominal cramps and incoercible diarrhea, Other typical side effects of the fumaric acid esters were reversible elevation of transaminases, lymphocytopenia, and eosinophilia.

For PFAE fumarates (Polyfunctional Aliphatic Esters)

## FUMARIC ACID

The toxicological properties show that all category members share similar toxicokinetic behaviour (i.e. hydrolysis of the ester bond before absorption followed by absorption and metabolism of the breakdown products) and that the constant pattern consists in a lack of potency change of properties across the category, explained by the common metabolic fate of aliphatic diesters, independent of the chain length of the dicarboxylic acid moiety (C4 unsaturated or C6) and the length/branching of the alcohol moiety. Thus, considering all available data from category members show no acute oral or dermal toxicity, no skin irritation, or eye irritation, no human hazard for systemic toxicity after repeated oral exposure, are not mutagenic or clastogenic, and have shown no relevant reproduction toxicity and have no effect on intrauterine development.

Di-C12-15-alkyl fumarate (CAS RN: 142104-11-8)- at 100% induction concentration; 100% challenge concentration) was found to be a sensitiser in guinea pigs (Magnusson-Kligman method), with scattered mild redness noted in 10/20 and 8/20 animals at 24 and 48 hours after patch removal, respectively. In a second study in guinea pigs (Magnusson-Kligman method; 75% induction concentration; 75% challenge concentration), there was no evidence of reactions indicative of skin sensitisation to the chemical. The chemical (at 2.4%-15% concentration) was not a skin sensitiser in human repeat insult patch studies.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

| Acute Toxicity                    | × | Carcinogenicity          | × |
|-----------------------------------|---|--------------------------|---|
| Skin Irritation/Corrosion         | × | Reproductivity           | × |
| Serious Eye Damage/Irritation     | ✓ | STOT - Single Exposure   | X |
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
| Mutagenicity                      | × | Aspiration Hazard        | × |

Legend:

★ - Data either not available or does not fill the criteria for classification

🏏 – Data available to make classification

### **SECTION 12 Ecological information**

## Toxicity

| 41mg/l      |          |
|-------------|----------|
| 41119/1     | 1        |
| >100mg/l    | 2        |
| >100mg/l    | 2        |
| 6.7-228mg/l | 4        |
| _           | >100mg/l |

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

For PFAE fumarates (Polyfunctional Aliphatic Esters)

Environmental fate:

All members of the category are readily biodegradable according to OECD criteria or readily but failing 10-day window. Therefore, the category members will not be persistent in the environment. The abiotic degradation via hydrolysis is not considered to be a relevant degradation pathway in the environment. All substances exhibit log Kow values > 8 (the majority even > 10).

DO NOT discharge into sewer or waterways.

#### Persistence and degradability

| Ingredient   | Persistence: Water/Soil | Persistence: Air |
|--------------|-------------------------|------------------|
| fumaric acid | LOW                     | LOW              |

#### **Bioaccumulative potential**

| Ingredient   | Bioaccumulation     |
|--------------|---------------------|
| fumaric acid | LOW (LogKOW = 0.46) |

#### Mobility in soil

| Ingredient   | Mobility          |
|--------------|-------------------|
| fumaric acid | LOW (KOC = 6.314) |

## **SECTION 13 Disposal considerations**

Issue Date: 26/02/2020 Print Date: 06/07/2021

#### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- ▶ Reduction
- ► Reuse
- Recycling
- Product / Packaging disposal
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.

#### **SECTION 14 Transport information**

#### **Labels Required**

Marine Pollutant

NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

| Product name                             | Pollution Category | Ship Type |
|--|--------------------|-----------|
| Oxygenated aliphatic hydrocarbon mixture | Z                  | 3         |

#### Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group         |
|--------------|---------------|
| fumaric acid | Not Available |

#### Transport in bulk in accordance with the ICG Code

| Product name | Ship Type     |
|--------------|---------------|
| fumaric acid | Not Available |

## **SECTION 15 Regulatory information**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

## fumaric acid is found on the following regulatory lists

US CWA (Clean Water Act) - List of Hazardous Substances

US TSCA Chemical Substance Inventory - Interim List of Active Substances

#### **Federal Regulations**

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### Section 311/312 hazard categories

| Section 311/312 nazard categories                            |     |
|--|-----|
| Flammable (Gases, Aerosols, Liquids, or Solids)              | No  |
| Gas under pressure   | No  |
| Explosive  | No  |
| Self-heating   | No  |
| Pyrophoric (Liquid or Solid)                                 | No  |
| Pyrophoric Gas   | No  |
| Corrosive to metal   | No  |
| Oxidizer (Liquid, Solid or Gas)                              | No  |
| Organic Peroxide   | No  |
| Self-reactive  | No  |
| In contact with water emits flammable gas                    | No  |
| Combustible Dust   | No  |
| Carcinogenicity  | No  |
| Acute toxicity (any route of exposure)                       | No  |
| Reproductive toxicity  | No  |
| Skin Corrosion or Irritation                                 | No  |
| Respiratory or Skin Sensitization                            | No  |
| Serious eye damage or eye irritation                         | Yes |
| Specific target organ toxicity (single or repeated exposure) | No  |
| Aspiration Hazard  | No  |

Issue Date: **26/02/2020**Print Date: **06/07/2021** 

| Germ cell mutagenicity           | No |
|----------------------------------|----|
| Simple Asphyxiant                | No |
| Hazards Not Otherwise Classified | No |

## US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

| Name         | Reportable Quantity in Pounds (lb) | Reportable Quantity in kg |
|--------------|------------------------------------|---------------------------|
| fumaric acid | 5000                               | 2270                      |

#### State Regulations

#### US. California Proposition 65

None Reported

#### **National Inventory Status**

| National Inventory                                 | Status  |
|--|---|
| Australia - AIIC / Australia<br>Non-Industrial Use | Yes   |
| Canada - DSL                                       | Yes   |
| Canada - NDSL                                      | No (fumaric acid)   |
| China - IECSC                                      | Yes   |
| Europe - EINEC / ELINCS / NLP                      | Yes   |
| Japan - ENCS                                       | Yes   |
| Korea - KECI                                       | Yes   |
| New Zealand - NZIoC                                | Yes   |
| Philippines - PICCS                                | Yes   |
| USA - TSCA   | Yes   |
| Taiwan - TCSI                                      | Yes   |
| Mexico - INSQ                                      | Yes   |
| Vietnam - NCI                                      | Yes   |
| Russia - FBEPH                                     | Yes   |
| Legend:  | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

## **SECTION 16 Other information**

| Revision Date | 26/02/2020 |
|---------------|------------|
| Initial Date  | 05/04/2005 |

## **SDS Version Summary**

| Version | Date of Update | Sections Updated   |
|---------|----------------|--|
| 4.1.2.1 | 26/07/2006     | Acute Health (swallowed), Storage (storage incompatibility), Supplier Information, Toxicity and Irritation (Toxicity Figure) |
| 6.1.2.1 | 26/02/2020     | Advice to Doctor   |
| 6.1.3.1 | 10/05/2021     | Regulation Change  |
| 6.1.4.1 | 24/05/2021     | Regulation Change  |
| 6.1.4.2 | 30/05/2021     | Template Change  |
| 6.1.4.3 | 04/06/2021     | Template Change  |
| 6.1.4.4 | 05/06/2021     | Template Change  |
| 6.1.4.5 | 09/06/2021     | Template Change  |
| 6.1.4.6 | 11/06/2021     | Template Change  |
| 6.1.4.7 | 15/06/2021     | Template Change  |
| 6.1.4.8 | 05/07/2021     | Template Change  |

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

## **Definitions and abbreviations**

 ${\sf PC-TWA: Permissible \ Concentration-Time \ Weighted \ Average}$ 

 ${\sf PC-STEL} : {\sf Permissible \ Concentration-Short \ Term \ Exposure \ Limit}$ 

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

Chemwatch: 16799 Page 9 of 9 Issue Date: 26/02/2020 Version No: 6.1.4.8 Print Date: 06/07/2021

#### **FUMARIC ACID**

ES: Exposure Standard OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory

NZIoC: New Zealand Inventory of Chemicals
PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory
FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

#### This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.