ZINC OXIDE Bisley International LLC

Chemwatch: 22544 Version No: 8.1.6.8

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 2

Issue Date: 16/10/2019 Print Date: 20/07/2021 S.GHS.USA.EN

SECTION 1 Identification

Product Identifier

| Product name | NC OXIDE | | |
|-------------------------------|---|--|--|
| Chemical Name | ride | | |
| Proper shipping name | onmentally hazardous substance, solid, n.o.s. (contains zinc oxide) | | |
| Chemical formula | Zn Mn | | |
| Other means of identification | Not Available | | |
| CAS number | 1314-13-2 | | |

Recommended use of the chemical and restrictions on use

Relevant identified uses

As a pigment in white paints and enamels; printing inks, in cosmetics, quick setting cements; rubber mixes, white glue, porcelain glazes (has greatest UV absorption of all commercial pigments). In medicine as component of ointments (zinc cream), cosmetics, lotions, dusting powders, bandages. Zinc oxide is a bacteriostat not a bactericide. Manufacture of opaque glass and certain transparent glasses; electrostatic copying paper; as flame retardant; in electronics as semiconductor. Zinc calcine is impure zinc oxide producing following roasting of zinc sulfide - contains iron, cadmium, copper, arsenic, antimony, cobalt, germanium, nickel and thallium. Ceramic grades are often calcined to remove any physical water (so they do not clump in the bag). These grades also have a larger particle size and lower surface area (e.g. 3 square meters per gram vs. less than 1; however 99.9% still passes 325 mesh). While calcined grades are said to produce less glaze surface defect problems, many ceramists have used the raw grades without serious issues. You Calcined (or re-calcined) zinc is produced in a bisque kiln at around 815 deg C. [-Intermediate -]

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

| Registered company name | Bisley International LLC | | |
|-------------------------|--|--|--|
| Address | 90 Hughes Landing Boulevard Suite 400 The Woodlands TX 77380 United States | | |
| Telephone | +1 (844) 424 7539 | | |
| Fax | Not Available | | |
| Website | www.bisley.biz | | |
| Email | compliance@bisley.biz | | |

Emergency phone number

| | Association / Organisation | Bisley International LLC | CHEMWATCH EMERGENCY RESPONSE | |
|--|-----------------------------------|--------------------------|------------------------------|--|
| | Emergency telephone numbers | +1 855 237 5573 | +61 2 9186 1132 | |
| | Other emergency telephone numbers | +61 2 9186 1132 | +1 855-237-5573 | |

Once connected and if the message is not in your prefered language then please dial 01

Una vez conectado y si el mensaje no está en su idioma preferido, por favor marque 02

SECTION 2 Hazard(s) identification

Classification of the substance or mixture

Considered a Hazardous Substance by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). Classified as Dangerous Goods for transport purposes.

NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Eye Irritation Category 2B, Specific target organ toxicity - repeated exposure Category 2, Chronic Aquatic Hazard Category 1

Label elements

Issue Date: **16/10/2019**Print Date: **20/07/2021**

Hazard pictogram(s)





| • | | |
|-------|------|-----|
| Signa | word | Wai |

Hazard statement(s)

| H320 | Causes eye irritation. | |
|--|---|--|
| H373 | H373 May cause damage to organs through prolonged or repeated exposure. | |
| H410 Very toxic to aquatic life with long lasting effects. | | |

Hazard(s) not otherwise classified

Not Applicable

Precautionary statement(s) Prevention

| P260 | Oo not breathe dust/fume. | |
|------|---|--|
| P273 | Avoid release to the environment. | |
| P264 | Wash all exposed external body areas thoroughly after handling. | |

Precautionary statement(s) Response

| P305+P351+P338 | F IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | | |
|----------------|---|--|--|
| P314 | Get medical advice/attention if you feel unwell. | | |
| P337+P313 | If eye irritation persists: Get medical advice/attention. | | |
| P391 | Collect spillage. | | |

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

| CAS No | %[weight] | Name |
|---------------|-----------|---|
| 1314-13-2 | >=99 | <u>zinc oxide</u> |
| Not Available | | commercial product may contain varying amounts of |
| 1317-36-8 | | lead monoxide |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Mixtures

See section above for composition of Substances

SECTION 4 First-aid measures

Description of first aid measures

| rescription of first and measures | | | |
|-----------------------------------|---|--|--|
| Eye Contact | If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. | | |
| Skin Contact | If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. | | |
| Inhalation | If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor. | | |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. | | |

Most important symptoms and effects, both acute and delayed

Issue Date: 16/10/2019 Print Date: 20/07/2021

Indication of any immediate medical attention and special treatment needed

- Absorption of zinc compounds occurs in the small intestine.
- The metal is heavily protein bound.
- Elimination results primarily from faecal excretion
- The usual measures for decontamination (Ipecac Syrup, lavage, charcoal or cathartics) may be administered, although patients usually have sufficient vomiting not to require
- CaNa2EDTA has been used successfully to normalise zinc levels and is the agent of choice.

[Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 Fire-fighting measures

Extinguishing media

- ► Water spray or fog.
- ▶ Foam.
- Dry chemical powder.
- BCF (where regulations permit)

Special hazards arising from the substrate or mixture

Fire Incompatibility

None known.

Special protective equipment and precautions for fire-fighters

Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves in the event of a fire.
- Prevent, by any means available, spillage from entering drains or water courses
- Use fire fighting procedures suitable for surrounding area.

Fire/Explosion Hazard

Non combustible.

Not considered a significant fire risk, however containers may burn.

Decomposition may produce toxic fumes of:

metal oxides

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| Minor | Spill |
|-------|-------|

- Remove all ignition sources.
- Clean up all spills immediately.
- Avoid contact with skin and eyes.
- Control personal contact with the substance, by using protective equipment.

Environmental hazard - contain spillage.

Major Spills

Environmental hazard - contain spillage

Moderate hazard.

- ► CAUTION: Advise personnel in area.
- Alert Emergency Services and tell them location and nature of hazard.
- ► Control personal contact by wearing protective clothing.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

| 0-1- | |
|------|----------|
| Sare | handling |

- Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area
- Prevent concentration in hollows and sumps.

Other information

- Store in original containers.
- Keep containers securely sealed.

Derivative of electropositive metal.

Store in a cool, dry area protected from environmental extremes. ▶ Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container

- Polyethylene or polypropylene container.
- Check all containers are clearly labelled and free from leaks.

Storage incompatibility

- Zinc oxide: ▶ slowly absorbs carbon dioxide from the air.
- ▶ may react, explosively with magnesium and chlorinated rubber when heated
- ▶ is incompatible with linseed oil (may cause ignition)
- WARNING: Avoid or control reaction with peroxides. All transition metal peroxides should be considered as potentially explosive. For example transition metal complexes of alkyl hydroperoxides may decompose explosively
- The pi-complexes formed between chromium(0), vanadium(0) and other transition metals (haloarene-metal complexes) and mono-or

Issue Date: **16/10/2019**Print Date: **20/07/2021**

poly-fluorobenzene show extreme sensitivity to heat and are explosive.

- Metals and their oxides or salts may react violently with chlorine trifluoride and bromine trifluoride.
- ▶ These trifluorides are hypergolic oxidisers. They ignite on contact (without external source of heat or ignition) with recognised fuels contact with these materials, following an ambient or slightly elevated temperature, is often violent and may produce ignition.
- ▶ The state of subdivision may affect the results.
- Avoid strong acids, bases.















- X Must not be stored together
- May be stored together with specific preventions
- May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---|------------------|---|------------------------|------------------|------------------|-------------------|
| US OSHA Permissible Exposure Limits (PELs) Table Z-3 | zinc oxide | Inert or Nuisance Dust: Respirable fraction | 5 mg/m3 / 15 mppcf | Not Available | Not Available | Not Available |
| US OSHA Permissible Exposure Limits (PELs) Table Z-3 | zinc oxide | Inert or Nuisance Dust: Total Dust | 15 mg/m3 / 50 mppcf | Not Available | Not Available | Not Available |
| US OSHA Permissible Exposure Limits (PELs) Table Z-1 | zinc oxide | Zinc oxide- Total dust | 15 mg/m3 | Not Available | Not Available | Not Available |
| US OSHA Permissible Exposure Limits (PELs) Table Z-1 | zinc oxide | Zinc oxide fume | 5 mg/m3 | Not Available | Not Available | Not Available |
| US OSHA Permissible Exposure Limits (PELs) Table Z-1 | zinc oxide | Zinc oxide- Respirable fraction | 5 mg/m3 | Not Available | Not Available | Not Available |
| US NIOSH Recommended Exposure Limits (RELs) | zinc oxide | Zinc oxide - Dust | 5 mg/m3 | Not Available | 15 mg/m3 | Not Available |
| US NIOSH Recommended Exposure Limits (RELs) | zinc oxide | Zinc oxide - Fume | 5 mg/m3 | 10 mg/m3 | Not Available | Not Available |
| US ACGIH Threshold Limit Values (TLV) | zinc oxide | Zinc oxide (Respirable particulate matter) | 2 mg/m3 | 10 mg/m3 | Not Available | Not Available |
| US OSHA Permissible Exposure Limits (PELs) Table Z-3 | lead monoxide | Inert or Nuisance Dust: Respirable fraction | 5 mg/m3 / 15 mppcf | Not Available | Not Available | Not Available |
| US OSHA Permissible Exposure Limits (PELs) Table Z-3 | lead monoxide | Inert or Nuisance Dust: Total Dust | 15 mg/m3 / 50 mppcf | Not Available | Not Available | Not Available |
| US OSHA Permissible Exposure Limits (PELs) Table Z-1 | lead monoxide | Particulates Not Otherwise Regulated (PNOR)- Respirable fraction | 5 mg/m3 | Not Available | Not Available | Not Available |
| US OSHA Permissible Exposure Limits (PELs) Table Z-1 | lead monoxide | Particulates Not Otherwise Regulated (PNOR)- Total dust | 15 mg/m3 | Not Available | Not Available | Not Available |
| US NIOSH Recommended Exposure Limits (RELs) | lead monoxide | Particulates not otherwise regulated | Not Available | Not Available | Not Available | See Appendix D |
| US ACGIH Threshold Limit Values (TLV) | lead monoxide | Lead and inorganic compounds, as Pb | 0.05 mg/m3 | Not Available | Not Available | A3; BEI |

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | TEEL-3 |
|---------------|------------|-----------|-------------|
| zinc oxide | 10 mg/m3 | 15 mg/m3 | 2,500 mg/m3 |
| lead monoxide | 0.16 mg/m3 | 130 mg/m3 | 750 mg/m3 |

| Ingredient | Original IDLH | Revised IDLH |
|---------------|---------------|---------------|
| zinc oxide | 500 mg/m3 | Not Available |
| lead monoxide | 100 mg/m3 | Not Available |

Exposure controls


Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

Issue Date: **16/10/2019**Print Date: **20/07/2021**



Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

- · Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- · Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.
- · Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- · Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)
- Use approved positive flow mask if significant quantities of dust becomes airborne.
- · Try to avoid creating dust conditions.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

| Appearance | White or yellowish white powder. Practically insoluble in water. Odourless. Soluble in acids, alkalis and ammonium carbonate. | | |
|--|---|---|----------------|
| Physical state | Divided Solid | Relative density (Water = 1) | 5.67 |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | Not Applicable | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | 1975 (sublimes) | Viscosity (cSt) | Not Applicable |
| Initial boiling point and boiling range (°C) | Sublimes. | Molecular weight (g/mol) | 81.38 |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Applicable | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Applicable |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Applicable |
| Vapour pressure (kPa) | 1.6 @ 1500C | Gas group | Not Available |
| Solubility in water | Immiscible | pH as a solution (%) | 6.95-7.37 |
| Vapour density (Air = 1) | Not Applicable | VOC g/L | Not Available |

SECTION 10 Stability and reactivity

| Reactivity | See section 7 | |
|--------------------|--|--|
| Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. | |

Issue Date: **16/10/2019**Print Date: **20/07/2021**

| Possibility of hazardous reactions | See section 7 |
|------------------------------------|---------------|
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 Toxicological information

| Information on toxicological ef | errects |
|---------------------------------|---------|
|---------------------------------|---------|

There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.

Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.

Inhaled

Effects on lungs are significantly enhanced in the presence of respirable particles.

Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be damaging to the health of the individual.

Inhalation of freshly formed zinc oxide particles sized below 1.5 microns and generally between 0.02 to 0.05 microns may result in "metal fume fever", with symptoms resembling influenza. Symptoms may be delayed for up to 12 hours and begin with the sudden onset of thirst, and a sweet, metallic or foul taste in the mouth. Other symptoms include upper respiratory tract irritation accompanied by coughing and a dryness of the mucous membranes, lassitude and a generalised feeling of malaise. Mild to severe headache, nausea, occasional vomiting, fever or chills, exaggerated mental activity, profuse sweating, diarrhoea, excessive urination and prostration may also occur.

Ingestion

May cause constipation, fever and stomach cramps.

Although ingestion is not thought to produce harmful effects (as classified under EC Directives), the material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident.

Soluble zinc salts produce irritation and corrosion of the alimentary tract with pain, and vomiting. Death can occur due to insufficiency of food intake due to severe narrowing of the oesophagus and pylorus.

Skin Contact

In some cases this form of dermatitis can be severe.

Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.

There is some evidence to suggest that the material may cause mild but significant inflammation of the skin either following direct contact or after

Open cuts, abraded or irritated skin should not be exposed to this material

Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

Repeated or excessive handling, coupled with poor personal hygiene, may result in acne-like eruptions known as "zinc oxide pox".

a delay of some time. Repeated exposure can cause contact dermatitis which is characterised by redness, swelling and blistering.

Eye

There is some evidence to suggest that this material can cause eye irritation and damage in some persons.

Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems.

Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can

Chronic

produce severe defects.

Overexposure to the breathable dust may cause coughing, wheezing, difficulty in breathing and impaired lung function. Chronic symptoms may include decreased vital lung capacity and chest infections. Repeated exposures in the workplace to high levels of fine-divided dusts may produce a condition known as pneumoconiosis, which is the lodgement of any inhaled dusts in the lung, irrespective of the effect. This is particularly true

when a significant number of particles less than 0.5 microns (1/50000 inch) are present.

Welding or flame cutting of metals with zinc or zinc dust coatings may result in inhalation of zinc oxide fume; high concentrations of zinc oxide fume may result in "metal fume fever"; also known as "brass chills", an industrial disease of short duration. [I.L.O] Symptoms include malaise, fever, weakness, nausea and may appear quickly if operations occur in enclosed or poorly ventilated areas.

zinc oxide

 TOXICITY
 IRRITATION

 dermal (rat) LD50: >2000 mg/kg[1]
 Eye (rabbit) : 500 mg/24 h - mild

 Inhalation(Rat) LC50; >1.79 mg/l4h[1]
 Eye: no adverse effect observed (not irritating)[1]

 Oral(Rat) LD50; >5000 mg/kg[1]
 Skin (rabbit) : 500 mg/24 h- mild

 Skin: no adverse effect observed (not irritating)[1]

lead monoxide

| TOXICITY | IRRITATION |
|---|---------------------------------|
| dermal (rat) LD50: >2000 mg/kg[1] | Skin (rabbit): 100mg/24h - mild |
| Inhalation(Rat) LC50; >5.05 mg/l4h ^[1] | |
| Oral(Rat) LD50: >2000 mg/kg[1] | |

Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

ZINC OXIDE & LEAD MONOXIDE

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

| Acute Toxicity | × | Carcinogenicity | × |
|-------------------------------|---|------------------------|---|
| Skin Irritation/Corrosion | × | Reproductivity | × |
| Serious Eye Damage/Irritation | ✓ | STOT - Single Exposure | × |

Issue Date: 16/10/2019 Print Date: 20/07/2021

| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | ✓ |
|-----------------------------------|---|--------------------------|----------|
| Mutagenicity | × | Aspiration Hazard | × |

X - Data either not available or does not fill the criteria for classification Leaend: - Data available to make classification

SECTION 12 Ecological information

Toxicity

| | Endpoint | Test Duration (hr) | Species | Value | Source |
|---------------|-----------|--------------------|--|-----------------|--------|
| | EC50 | 72h | Algae or other aquatic plants | 0.036-0.049mg/l | 4 |
| | BCF | 1344h | Fish | 19-110 | 7 |
| zinc oxide | LC50 | 96h | Fish | 0.927-2.589mg/l | 4 |
| | EC50 | 48h | Crustacea | 0.301-0.667mg/l | 4 |
| | NOEC(ECx) | 72h | Algae or other aquatic plants | 0.005mg/l | 2 |
| | EC50 | 96h | Algae or other aquatic plants | 0.3mg/l | 2 |
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| lead monoxide | BCF | 1008h | Fish | 9.1-24 | 7 |
| | LC50 | 96h | Fish | >537600mg/L | 4 |
| | EC10(ECx) | 408h | Crustacea | 0.8mg/l | 2 |
| Legend: | | | CHA Registered Substances - Ecotoxicological Information US EPA, Ecotox database - Aquatic Toxicity Data 5 | | |

Not readily biodegradable Daphnia magna LC50 (48 h): 0.98 mg/l Algae EC50: 0.03 mg/l

For Metal

Atmospheric Fate - Metal-containing inorganic substances generally have negligible vapour pressure and are not expected to partition to air.

Environmental Fate: Environmental processes, such as oxidation, the presence of acids or bases and microbiological processes, may transform insoluble metals to more soluble ionic forms. Environmental processes may enhance bioavailability and may also be important in changing solubilities.

Aquatic/Terrestrial Fate: When released to dry soil, most metals will exhibit limited mobility and remain in the upper layer; some will leach locally into ground water and/or surface water ecosystems when soaked by rain or melt ice. A metal ion is considered infinitely persistent because it cannot degrade further.

For Zinc and its Compounds: BCF: 4 to 24,000.

Environmental Fate: Zinc is capable of forming complexes with a variety of organic and inorganic groups and is an essential nutrient present in all organisms.

Atmospheric Fate: Zinc concentrations in the air are relatively low, except near industrial sources, such as smelters. There is no estimate for the atmospheric lifetime of zinc, but, since zinc is transported long distances in air, its lifetime in air is at least on the order of days.

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|---------------------------------------|---------------------------------------|
| | No Data available for all ingredients | No Data available for all ingredients |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|---------------|-----------------|
| zinc oxide | LOW (BCF = 217) |
| lead monoxide | LOW (BCF = 43) |

Mobility in soil

| Ingredient | Mobility |
|------------|---------------------------------------|
| | No Data available for all ingredients |

SECTION 13 Disposal considerations

Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- ► Reuse
- ► Recycling
- Disposal (if all else fails)

Product / Packaging disposal

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- ▶ Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
- Recycle containers if possible, or dispose of in an authorised landfill.

Issue Date: **16/10/2019**Print Date: **20/07/2021**

SECTION 14 Transport information

Labels Required



Marine Pollutant



Land transport (DOT)

| UN number | 3077 | | |
|------------------------------|---|--|--|
| UN proper shipping name | Environmentally hazardous substance, solid, n.o.s. (contains zinc oxide) | | |
| Transport hazard class(es) | Class 9 Subrisk Not Applicable | | |
| Packing group | III | | |
| Environmental hazard | Environmentally hazardous | | |
| Special precautions for user | Hazard Label 9 Special provisions 8, 146, 335, 384, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33 | | |

For Individual Packages of Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 that contain LESS THAN the reportable quantity (5000 lbs) - Not Regulated

For Individual Packages of Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 that contain MORE THAN the reportable quantity (5000 lbs) - Regulated and classified as below:

Air transport (ICAO-IATA / DGR)

| UN number | 3077 | | | |
|------------------------------|--|---------------------------|---|--|
| UN proper shipping name | Environmentally hazardous substance, solid, n.o.s. * (contains zinc oxide) | | | |
| Transport hazard class(es) | ICAO/IATA Class ICAO / IATA Subrisk ERG Code | 9 Not Applicable 9L | | |
| Packing group | III | | | |
| Environmental hazard | Environmentally hazardous | | | |
| Special precautions for user | Special provisions Cargo Only Packing Instructions Cargo Only Maximum Qty / Pack Passenger and Cargo Packing Instructions Passenger and Cargo Maximum Qty / Pack Passenger and Cargo Limited Quantity Packing Instructions | | A97 A158 A179 A197 A215 956 400 kg 956 400 kg Y956 | |
| | Passenger and Cargo Limited Maximum Qty / Pack | | 30 kg G | |

Sea transport (IMDG-Code / GGVSee)

| Sea transport (IMDG-Code / GGVSee) | | | | |
|------------------------------------|--|--|--|--|
| UN number | 3077 | 3077 | | |
| UN proper shipping name | ENVIRONMENTALLY I | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains zinc oxide) | | |
| Transport hazard class(es) | IMDG Class 9 IMDG Subrisk Not Applicable | | | |
| Packing group | III | | | |
| Environmental hazard | Marine Pollutant | | | |
| Special precautions for user | EMS Number Special provisions Limited Quantities | F-A , S-F 274 335 966 967 969 5 kg | | |

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Issue Date: **16/10/2019**Print Date: **20/07/2021**

| Product name | Group | |
|---------------|---------------|--|
| zinc oxide | Not Available | |
| lead monoxide | Not Available | |

Transport in bulk in accordance with the ICG Code

| Product name | Ship Type | |
|---------------|---------------|--|
| zinc oxide | Not Available | |
| lead monoxide | Not Available | |

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

zinc oxide is found on the following regulatory lists

US ACGIH Threshold Limit Values (TLV)
US CWA (Clean Water Act) - Priority Pollutants
US CWA (Clean Water Act) - Toxic Pollutants
US DOE Temporary Emergency Exposure Limits (TEELs)
US EPA Integrated Risk Information System (IRIS)

US NIOSH Recommended Exposure Limits (RELs)
US OSHA Permissible Exposure Limits (PELs) Table Z-1
US OSHA Permissible Exposure Limits (PELs) Table Z-3
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US EPCRA Section 313 Chemical List

lead monoxide is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2A: Probably carcinogenic to humans

US - California Hazardous Air Pollutants Identified as Toxic Air Contaminants

US - California Substances Identified As Toxic Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US DOE Temporary Emergency Exposure Limits (TEELs)

US EPA Integrated Risk Information System (IRIS)

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part B. Reasonably Anticipated to be a Human Carcinogen

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Limits (PELs) Table Z-1

US OSHA Permissible Exposure Limits (PELs) Table Z-3

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA Chemical Substance Inventory - Interim List of Active Substances

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 hazard categories

| Flammable (Gases, Aerosols, Liquids, or Solids) | No |
|--|-----|
| Gas under pressure | No |
| Explosive | No |
| Self-heating | No |
| Pyrophoric (Liquid or Solid) | No |
| Pyrophoric Gas | No |
| Corrosive to metal | No |
| Oxidizer (Liquid, Solid or Gas) | No |
| Organic Peroxide | No |
| Self-reactive | No |
| In contact with water emits flammable gas | No |
| Combustible Dust | No |
| Carcinogenicity | No |
| Acute toxicity (any route of exposure) | No |
| Reproductive toxicity | No |
| Skin Corrosion or Irritation | No |
| Respiratory or Skin Sensitization | No |
| Serious eye damage or eye irritation | No |
| Specific target organ toxicity (single or repeated exposure) | Yes |
| Aspiration Hazard | No |
| Germ cell mutagenicity | No |
| Simple Asphyxiant | No |
| Hazards Not Otherwise Classified | No |

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

None Reported

State Regulations

Issue Date: **16/10/2019**Print Date: **20/07/2021**

None Reported

National Inventory Status

| National Inventory | Status | |
|--|---|--|
| Australia - AIIC / Australia Non-Industrial Use | Yes | |
| Canada - DSL | Yes | |
| Canada - NDSL | No (lead monoxide) | |
| China - IECSC | Yes | |
| Europe - EINEC / ELINCS / NLP | Yes | |
| Japan - ENCS | Yes | |
| Korea - KECI | Yes | |
| New Zealand - NZIoC | Yes | |
| Philippines - PICCS | Yes | |
| USA - TSCA | Yes | |
| Taiwan - TCSI | Yes | |
| Mexico - INSQ | Yes | |
| Vietnam - NCI | Yes | |
| Russia - FBEPH | Yes | |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) | |

SECTION 16 Other information

| Revision Date | 16/10/2019 |
|---------------|------------|
| Initial Date | 17/06/2005 |

SDS Version Summary

| Version | Date of Update | Sections Updated |
|---------|-------------------|--|
| 6.1.2.1 | 27/11/2009 | Exposure Standard |
| 8.1.2.1 | 16/10/2019 | Acute Health (inhaled), Acute Health (skin), Acute Health (swallowed), CAS Number, Chronic Health, Classification, Environmental, First Aid (eye), First Aid (inhaled), First Aid (skin), First Aid (swallowed), Personal Protection (eye), Personal Protection (hands/feet), Physical Properties, Spills (minor), Synonyms, Use |
| 8.1.3.1 | 10/05/2021 | Regulation Change |
| 8.1.4.1 | 24/05/2021 | Regulation Change |
| 8.1.4.2 | 30/05/2021 | Template Change |
| 8.1.4.3 | 04/06/2021 | Template Change |
| 8.1.4.4 | 05/06/2021 | Template Change |
| 8.1.4.5 | 09/06/2021 | Template Change |
| 8.1.4.6 | 11/06/2021 | Template Change |
| 8.1.4.7 | 15/06/2021 | Template Change |
| 8.1.4.8 | 05/07/2021 | Template Change |
| 8.1.5.8 | 14/07/2021 | Regulation Change |
| 8.1.6.8 | 15/07/2021 | Regulation Change |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors Chemwatch: 22544 Version No: 8.1.6.8

Page **11** of **11** ZINC OXIDE Issue Date: 16/10/2019 Print Date: 20/07/2021

BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List

NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory

NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.