

Product Information

Overbased Calcium Sulfonate (300 TBN)

Product Description:

Overbased Calcium sulfonate (300 TBN) is a highly alkaline liquid with detergent properties. Overbased Calcium sulfonate (300 TBN) is compatible with most mineral base oils, white oils, and synthetic base stocks. Overbased Calcium sulfonate (300 TBN) is highly alkaline, so it neutralizes acidic material and combustion by-products, thus increasing corrosion resistance and increasing oil life.

Applications:

Overbased Calcium sulfonate (300 TBN) is typically used as a thickener, emulsifier and rust inhibitor in crankcase lubricants. It is used in the manufacture of calcium sulfonate greases and engine oils that are ideal for use in high temperature, high pressure applications and for use in environments exposed to salt. Applications include automotive, diesel, marine, metal working and railroad lubricants.

CAS No. :

70024-69-0

Specifications:

Parameters (units)	Specifications
Calcium (wt %)	12.0 - 12.5
Total Base Number	Approx. 300
Water (wt %)	≤ 0.5
Viscosity at 100 °C (cSt)	Approx. 70
Flash point (°C)	Approx. 155
Specific gravity	Approx. 1.11
Color (Gardner)	Approx. 7.0
Sediment volume (wt %)	Approx. 0.02

Bisley International LLC
1790 Hughes Landing Boulevard Suite 400
The Woodlands 77380 TX USA
Phone number: +1 (844) 424 7539
Emergency telephone number: +1 855 237 5573

bisleyinternational.com

Copyright 2021 Bisley & Co. Pty Ltd. All rights reserved



Packaging:

Material is available in 200 kg steel drums. Further packaging options may be available upon enquiry.

Storage:

Product should be stored at elevated temperatures (60°C - 70°C) in a dry place in sealed, original containers. A handling temperature of 80°C - 90°C is recommended.

Safety:

For further safety information refer to product SDS available from your Bisley International contact.

Disclaimer: This document is for information purpose only. Customers are responsible for testing and conforming the suitability of this product in their application. To the extent permitted by law, no warranty as to merchantability or fitness of purpose, expressed or implied, is made.

Global Headquarters

Sydney, Australia

Bisley & Company
Level 12, Tower B Citadel Towers
799 Pacific Highway
Chatswood NSW 2067 Australia
Phone: +61 2 8905 4200
Fax: +61 2 8905 4238
Email: australia@bisley.biz

Jakarta, Indonesia

PT Bisindo Kencana
Puri Indah
Financial Tower
9th Floor, Unit 09 Jalan Puri
Lingkar Dalam Blok
T8 Jakarta Barat 11610
Indonesia
Phone: +6221 530 7287

Bangkok, Thailand

Bisley Asia (Thailand) Co. Ltd.
Mahatun Plaza Building 18th Floor
888/186 Ploenchit Road
Lumpini, Pathumwan
Bangkok 10330
Thailand
Phone: +66 0 2689 6396
Fax: +66 0 2689 6394

Kuala Lumpur, Malaysia

Bisley Asia (M) Sdn Bhd
Co. Reg. No.:199201002123
(233627-U)
Suite 20-01 & 20-02B,
Level 20, The Pinnacle,
Persiaran Lagoon, 47500
Bandar Sunway, Subang Jaya Selangor,
Malaysia
Tel: +603-56244287/4289
Fax: +603-56244201

Dubai, United Arab Emirates

Bisley Chemicals Trading LLC
1802 B2B Office Tower
Business Bay
PO Box 9298
Dubai United Arab Emirates
Phone: +971 4 3310088
+971 4 3310111
Fax: +971 4 3310099

USA and Canada

Bisley International LLC
1790 Hughes Landing Boulevard
Suite 400
The Woodlands 77380 TX USA
Phone: +1 (844) 424 7539
Emergency telephone number:
+1 855 237 5573
Email: international@bisley.biz

Bisley International LLC
1790 Hughes Landing Boulevard Suite 400
The Woodlands 77380 TX USA
Phone number: +1 (844) 424 7539
Emergency telephone number: +1 855 237 5573

bisleyinternational.com

Copyright 2021 Bisley & Co. Pty Ltd. All rights reserved

